

DECEMBER 1999

ISSN 0301-0104

Chemical Physics

**A journal devoted to experimental and theoretical research
involving problems of both a chemical and a physical nature**

MASTER INDEX

VOLUMES 241-250

FEBRUARY-DECEMBER 1999

Editors

ROBIN M. HOCHSTRASSER
G. LUDWIG HOFACKER
H. PETER TROMMSDORFF

NORTH-HOLLAND

Chemical Physics

A journal devoted to experimental and theoretical research involving problems of both a chemical and a physical nature

EDITORS

ROBIN M. HOCHSTRASSER

Department of Chemistry, University of Pennsylvania, Philadelphia, PA 19104-6323, USA

Fax: 1-215-8980590; E-mail: hochstra@a.chem.upenn.edu

G. LUDWIG HOFACKER

Lehrstuhl für Theoretische Chemie, Technische Universität München, Lichtenbergstrasse 4, 85747 Garching, Germany

Fax: 49-89-28913622; E-mail: hofacker@theochem.tu-muenchen.de

H. PETER TROMMSDORFF

Laboratoire de Spectrométrie Physique, Université Joseph Fourier de Grenoble - CNRS, B.P. 87, 38402 Saint-Martin-d'Hères Cedex, France

Fax: 33-476-514335; E-mail: chemphys@ujf-grenoble.fr

ASSOCIATE EDITOR

DAVID CHANDLER

Department of Chemistry, University of California Berkeley, Berkeley, CA 94720, USA

Fax: 1-510-6428369; E-mail: chandler@cchem.berkeley.edu

FOUNDING EDITORS: G.L. HOFACKER, G.W. ROBINSON, E.W. SCHLAG

ADVISORY EDITORIAL BOARD

Australia

D.J. EVANS, Canberra

N.S. HUSH, Sydney

R.O. WATTS, Melbourne

Canada

R.J.D. MILLER, Toronto

Denmark

G.D. BILLING, Copenhagen

France

S. LEACH, Meudon

D. MARKOVITSI, Gif-sur-Yvette

J.L. MARTIN, Palaiseau

M. ORRIT, Talence

Germany

H. BÄSSLER, Marburg

B. DICK, Regensburg

S.F. FISCHER, Garching

H. GRABERT, Freiburg

D. HAARER, Bayreuth

P. HÄNGGI, Augsburg

W. LORENZ, Leipzig

D. MENZEL, Garching

M. PARRINELLO, Stuttgart

E.W. SCHLAG, Garching

W. ZINTH, Munich

Hungary

P. ORMOS, Szeged

Israel

R.B. GERBER, Jerusalem

J. JORTNER, Tel Aviv

R.D. LEVINE, Jerusalem

E. POLLAK, Rehovot

Italy

G. CICCOTTI, Rome

Japan

H. HAMAGUCHI, Tokyo

M. ITO, Okazaki

T. KITAGAWA, Okazaki

T. KOBAYASHI, Tokyo

K. YOSHIHARA, Ishikawa

The Netherlands

D. FRENKEL, Amsterdam

Russian Federation

V.S. LETOKHOV, Moscow

Sweden

R. RIGLER, Stockholm

Switzerland

H. FISCHER, Zurich

S. LEUTWYLER, Bern

Taiwan

Y.T. LEE, Taipei

United Kingdom

A.D. BUCKINGHAM, Cambridge

D.C. CLARY, London

D.A. KING, Cambridge

P.A. MADDEN, Oxford

J.P. SIMONS, Oxford

USA

A.C. ALBRECHT, Ithaca, NY

D.C. CLARY, London

P. ALIVISATOS, Berkeley, CA

V.A. APKARIAN, Irvine, CA

P.F. BARBARA, Austin, TX

R. BERSOHN, New York, NY

S.G. BOXER, Stanford, CA

S.T. CEYER, Cambridge, MA

K.A. DILL, San Francisco, CA

W.A. EATON, Bethesda, MD

M.D. FAYER, Stanford, CA

G.R. FLEMING, Berkeley, CA

G. FLYNN, New York, NY

USA (continued)

R.A. FRIESNER, New York, NY

M. KLEIN, Philadelphia, PA

W.C. LINEBERGER, Boulder, CO

D.S. McCLURE, Princeton, NJ

D.M. NEUMARK, Berkeley, CA

M.D. NEWTON, Upton, NY

C.S. PARMENTER,

Bloomington, IN

M.A. RATNER, Evanston, IL

G.W. ROBINSON, Lubbock, TX

G.J. SMALL, Ames, IA

J.C. TULLY, New Haven, CT

J.D. WEEKS, College Park, MD

K.B. WHALEY, Berkeley, CA

P.G. WOLYNES, Urbana, IL

R.N. ZARE, Stanford, CA

A.H. ZEWEIL, Pasadena, CA

AIMS AND SCOPE

Chemical Physics publishes experimental and theoretical papers on all aspects of chemical physics. Experimental papers are brought into relation with theory and theoretical papers demonstrate their relation to present or future experiments. More specifically, subject matter in the fields of spectroscopy and molecular structure, interacting systems, relaxation phenomena, fundamental problems in molecular reactivity, molecular quantum theory and statistical mechanics constitute the main areas of interest for this journal. In addition to regular issues, *Chemical Physics* publishes thematic issues containing invited articles by specialists in the relevant field.

Chemical Physics

EDITORS

ROBIN M. HOCHSTRASSER

Department of Chemistry, University of Pennsylvania, Philadelphia, PA 19104-6323, USA

Fax: 1-215-8980590; E-mail: hochstra@a.chem.upenn.edu

G. LUDWIG HOFACKER

Lehrstuhl für Theoretische Chemie, Technische Universität München, Lichtenbergstrasse 4, 85747 Garching, Germany

Fax: 49-89-28913622; E-mail: hofacker@theochem.tu-muenchen.de

H. PETER TROMMSDORFF

Laboratoire de Spectrométrie Physique, Université Joseph Fourier de Grenoble - CNRS, B.P. 87, 38402 Saint-Martin-d'Hères Cedex, France

Fax: 33-476-514335; E-mail: chemphys@ujf-grenoble.fr

ASSOCIATE EDITOR

DAVID CHANDLER

Department of Chemistry, University of California Berkeley, Berkeley, CA 94720, USA

Fax: 1-510-6428369; E-mail: chandler@cchem.berkeley.edu

FOUNDING EDITORS: G.L. HOFACKER, G.W. ROBINSON, E.W. SCHLAG

ADVISORY EDITORIAL BOARD

Australia

D.J. EVANS, Canberra

N.S. HUSH, Sydney

R.O. WATTS, Melbourne

Canada

R.J.D. MILLER, Toronto

Denmark

G.D. BILLING, Copenhagen

France

S. LEACH, Meudon

D. MARKOVITSI, Gif-sur-Yvette

J.L. MARTIN, Palaiseau

M. ORRIT, Talence

Germany

H. BÄSSLER, Marburg

B. DICK, Regensburg

S.F. FISCHER, Garching

H. GRABERT, Freiburg

D. HAARER, Bayreuth

P. HÄNGGI, Augsburg

W. LORENZ, Leipzig

D. MENZEL, Garching

M. PARRINELLO, Stuttgart

E.W. SCHLAG, Garching

W. ZINTH, Munich

Hungary

P. ORMOS, Szeged

Israel

R.B. GERBER, Jerusalem

J. JORTNER, Tel Aviv

R.D. LEVINE, Jerusalem

E. POLLAK, Rehovot

Italy

G. CICCOTTI, Rome

Japan

H. HAMAGUCHI, Tokyo

M. ITO, Okazaki

T. KITAGAWA, Okazaki

T. KOBAYASHI, Tokyo

K. YOSHIHARA, Ishikawa

The Netherlands

D. FRENKEL, Amsterdam

Russian Federation

V.S. LETOKHOV, Moscow

Sweden

R. RIGLER, Stockholm

Switzerland

H. FISCHER, Zurich

S. LEUTWYLER, Bern

Taiwan

Y.T. LEE, Taipei

United Kingdom

A.D. BUCKINGHAM, Cambridge

D.C. CLARY, London

D.A. KING, Cambridge

P.A. MADDEN, Oxford

J.P. SIMONS, Oxford

USA

A.C. ALBRECHT, Ithaca, NY

D.C. CLARY, London

P. ALIVISATOS, Berkeley, CA

V.A. APKARIAN, Irvine, CA

P.F. BARBARA, Austin, TX

R. BERSOHN, New York, NY

S.G. BOXER, Stanford, CA

S.T. CEYER, Cambridge, MA

K.A. DILL, San Francisco, CA

W.A. EATON, Bethesda, MD

M.D. FAYER, Stanford, CA

G.R. FLEMING, Berkeley, CA

G. FLYNN, New York, NY

USA (continued)

R.A. FRIESNER, New York, NY

M. KLEIN, Philadelphia, PA

W.C. LINEBERGER, Boulder, CO

D.S. McCLURE, Princeton, NJ

D.M. NEUMARK, Berkeley, CA

M.D. NEWTON, Upton, NY

C.S. PARMENTER, Bloomington, IN

M.A. RATNER, Evanston, IL

G.W. ROBINSON, Lubbock, TX

G.J. SMALL, Ames, IA

J.C. TULLY, New Haven, CT

J.D. WEEKS, College Park, MD

K.B. WHALEY, Berkeley, CA

P.G. WOLYNES, Urbana, IL

R.N. ZARE, Stanford, CA

A.H. ZEWAHL, Pasadena, CA

Abstracted/indexed in: Chemical Abstracts, ERDA Abstracts, ISI Current Contents, Inspec Abstracts, Nuclear Engineering Abstracts, Physics Abstracts, Physikalische Berichte/Physics Briefs.

Chemical Physics

Editors

ROBIN M. HOCHSTRASSER, Philadelphia

G. LUDWIG HOFACKER, Munich

H. PETER TROMMSDORFF, Grenoble

Associate Editor

DAVID CHANDLER, Berkeley

MASTER INDEX

VOLUMES 241-250

FEBRUARY-DECEMBER 1999



ELSEVIER

Amsterdam – Lausanne – New York – Oxford – Shannon – Tokyo

© 1999, Elsevier Science B.V. All rights reserved

This journal and the individual contributions contained in it are protected under copyright by Elsevier Science B.V., and the following terms and conditions apply to their use:

Photocopying

Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the Publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permissions may be sought directly from Elsevier Science Rights & Permissions Department, P.O. Box 800, Oxford OX5 1DX, UK; phone: (+44) 1865 843830, fax: (+44) 1865 853333, e-mail: permissions@elsevier.co.uk. You may also contact Rights & Permissions directly through Elsevier's home page (<http://www.elsevier.nl>), selecting first 'Customer Support', then 'General Information', then 'Permissions Query Form'. In the USA, users may clear permissions and make payments through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (+1) (978) 7508400, fax: (+1) (978) 7504744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 171 631 5555; fax: (+44) 171 631 5500. Other countries may have a local reprographic rights agency for payments.

Derivative Works

Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the Publisher is required for resale or distribution outside the institution.

Permission of the Publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage

Permission of the Publisher is required to store or use electronically any material contained in this journal, including any article or part of an article.

Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the Publisher.

Address permissions requests to: Elsevier Science Rights & Permissions Department, at the mail, fax and e-mail addresses noted above.

Notice

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Elsevier Science B.V.

Tel: (+31-20)4852-800 Fax: (+31-20)4852-775 E-mail: e.hovens@elsevier.nl

Postal Address

Chemical Physics
Elsevier Science B.V.
P.O. Box 2759
1000 CT Amsterdam
The Netherlands

Courier Service Address

Chemical Physics
Elsevier Science B.V.
Sara Burgerhartstraat 25
1055 KV Amsterdam
The Netherlands

∞ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

Printed in the Netherlands.

Contents

| | | | |
|--|----|---|----|
| Author index to volumes 241-250 | 1 | Raman | 54 |
| Subject index to volumes 241-250 | 37 | UV | 54 |
| METHODS AND CONSTRUCTS | 37 | visible | 55 |
| <i>Theoretical</i> | 37 | Photon counting and phase fluorimetry | 56 |
| Computational methods for electronic structure | 37 | Photoelectron and Auger spectroscopy | 56 |
| CI and valence bond approach | 39 | Multiphoton ionization | 56 |
| perturbative and many body approaches | 40 | X-ray spectroscopy | 57 |
| density functional theory | 40 | Electron impact spectroscopy | 57 |
| Semiempirical methods | 41 | Laser induced fluorescence | 57 |
| Algebraic approaches | 42 | Ultrafast measurements | 58 |
| Relativistic electronic structure theory | 42 | Nonlinear optics and spectroscopy | 59 |
| Wavefunctions for highly excited and unbound states | 42 | Synchrotron spectroscopies | 61 |
| Spin states and magnetic interactions | 43 | Coherent optical spectroscopy | 61 |
| Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities) | 43 | Optical pumping | 61 |
| Radiative (incl. relativistic) effects on molecules and molecular processes | 45 | Multiple resonance spectroscopy | 61 |
| Photon states and statistics | 45 | Optoacoustic spectroscopy | 62 |
| Scattering of waves and particles | 46 | Atomic and molecular beam techniques | 62 |
| Collisional and reactive molecular dynamics with non-frictional forces | 46 | Mass spectroscopy | 62 |
| Reactive molecular dynamics including dissipative processes | 46 | Radiolysis | 62 |
| Intramolecular dynamics | 46 | Mössbauer spectroscopy | 63 |
| Molecular dynamics of many particle systems and condensed phases | 47 | X-ray, electron and neutron diffraction | 63 |
| Quasiparticle dynamics (incl. excitons, polarons) | 48 | Neutron scattering (inelastic and quasielastic) | 63 |
| Migration and interaction on grids and lattices | 48 | Small angle X-ray and neutron diffraction | 63 |
| Statistical computational methods (incl. Monte Carlo) | 48 | Calorimetric methods | 63 |
| Dynamics of structures, lattices and macromolecular conformations | 49 | Measurement of macroscopic variables | 64 |
| Fluctuations and random processes | 49 | OBJECTS | 64 |
| Non-equilibrium statistical mechanics | 49 | <i>Bulk systems</i> | 64 |
| Non-equilibrium thermodynamic and hydrodynamic theories | 50 | Gases | 64 |
| Equilibrium statistical mechanics and thermodynamics | 50 | Supersonic beams | 65 |
| Extremum methods for ensembles (energy, entropy, free energy) | 50 | Liquids neat | 66 |
| Time and space correlation functions | 50 | Liquid mixtures and solutions | 66 |
| <i>Experiment</i> | 51 | Crystals | 68 |
| Magnetic resonances | 51 | neat | 69 |
| Molecular spectroscopy | 51 | mixed | 69 |
| microwave | 53 | Glasses | 69 |
| infrared | 53 | Complex fluids | 69 |
| | | liquid crystals | 70 |
| | | microemulsions | 70 |
| | | micelles | 70 |
| | | Polymers | 70 |
| | | Semiconductors | 72 |
| | | Metals and alloys | 72 |
| | | Thin films | 72 |

| | | | |
|--|----|--|-----|
| Surfaces | 72 | Spectral bandshapes and intensities | 93 |
| Low-dimensional materials | 73 | Coupling of electronic and nuclear motion | 94 |
| Dielectrics | 73 | Energy transfer processes | 94 |
| Plasmas | 73 | Molecular photophysical processes | 95 |
| Biological systems | 73 | Photochemistry | 96 |
| | | Intramolecular dynamics | 97 |
| <i>Microscopic and mesoscopic systems</i> | 74 | radiationless transitions | 97 |
| Single atoms, molecules and assemblies (incl. biological) | 74 | vibrational energy redistribution (incl. vibrational dissociation) | 97 |
| Molecules (neutral and ionic) | 75 | protein motion | 97 |
| diatomic | 78 | Luminescence spectra, yields and lifetimes | 98 |
| small polyatomics | 78 | Coherence loss processes | 98 |
| aromatics | 80 | Nonlinear responses (incl. optical) | 98 |
| other large | 81 | Multiphoton phenomena | 101 |
| polymeric and biological | 81 | Reactions (incl. dissociation) | 101 |
| Molecular aggregates | 82 | isolated molecules | 102 |
| dimers | 82 | collisional | 102 |
| van der Waals molecules | 82 | condensed phase | 102 |
| clusters | 83 | Tunneling | 102 |
| complexes | 83 | Electron transfer | 103 |
| Free radicals (incl. hydronium and muonium) | 84 | Proton and hydrogen atom transfer | 104 |
| Quasiparticles (incl. excitons) | 84 | Positron annihilation | 104 |
| Defects and impurities | 84 | Ionization (incl. Rydberg states) | 104 |
| Ions and charge carriers | 84 | Molecular motion (incl. diffusive) | 105 |
| Supramolecular assemblies (incl. nanoparticles and nanostructures) | 85 | Isotopic effects | 105 |
| Liquid-liquid and liquid-solid interfaces | 85 | Fluctuations and noise | 106 |
| Biological assemblies, cells and organelles | 85 | Collective motion and excitations | 106 |
| Proteins | 85 | Surface chemical physics | 106 |
| Nucleic acids | 86 | surface scattering | 106 |
| | | adsorption | 106 |
| <i>PHENOMENA</i> | 86 | adsorbate structure | 106 |
| | | surface reactions | 107 |
| Molecular structure | 86 | catalysis | 107 |
| Vibrations and rotations of molecules | 87 | Electronic process in gases | 107 |
| Electronic structure and states | 89 | Thermodynamic and transport properties | 107 |
| Electric and magnetic properties | 91 | Structure of solids, liquids and glasses | 107 |
| Spin splittings | 92 | Critical behavior and phase transitions | 107 |
| Optical activity | 92 | Molecular self-assembly and -organization | 108 |
| Molecular interactions | 92 | Biomolecular structure-function relationships | 108 |

Author index to volumes 241–250

- Aartsma, T.J., see van Oijen, A.M. 247 (1999) 53
- Abkowicz-Bieńko, A.J., Z. Latajka, D.C. Bieńko and D. Michalska, Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies 250 (1999) 123
- Abramczyk, H. and B. Brożek, Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics? 250 (1999) 145
- Abramczyk, H., see Brożek, B. 250 (1999) 35
- Adachi, H., see Suzuki, C. 241 (1999) 17
- Adachi, H., see Suzuki, C. 247 (1999) 453
- Adhikari, S. and G.D. Billing, The effect of a cluster on a chemical reaction: a quasiclassical trajectory study 250 (1999) 295
- Aebersold, M.A., see Gillon, B. 250 (1999) 23
- Agranovich, V.M. and A.M. Kamchatnov, Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons 245 (1999) 175
- Ågren, H., see Engström, M. 243 (1999) 263
- Agulló-López, F., see Rojo, G. 245 (1999) 27
- Aicken, F.M., see Munn, R.W. 245 (1999) 227
- Akopyan, M.E., N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov, The iodine $E0_g^+ - B0_u^+$ and $D0_u^+ - X0_g^+$ transition dipole moment functions 242 (1999) 253
- Akopyan, M.E., N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii, The 'approach-induced' $I_2(E0_g^+ \xrightarrow{I_2(X)} D0_u^+)$ transition 242 (1999) 263
- Alain, V., S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter, Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer 245 (1999) 51
- Alemán, C., Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules 244 (1999) 151
- Alemán, C., see Armelin, E.A. 241 (1999) 167
- Alfredsson, M. and K. Hermansson, Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice 242 (1999) 161
- Alikhani, M.E., see Manceron, L. 244 (1999) 215
- Alikhani, M.E., see Asselin, P. 249 (1999) 73
- Allouche, A.R., see Magnier, S. 246 (1999) 57
- Allouche, A.R., see Rousseau, S. 247 (1999) 193
- Alonso, J.L., see de Luis, A. 248 (1999) 247
- Amorim, J., J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão, Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column 246 (1999) 275
- Anderson, H.L., see Thorne, J.R.G. 248 (1999) 181

- Andersson, L.M., H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson, Vibrational wave packet dynamics in NaK: The A $^1\Sigma^+$ state 241 (1999) 43
- Andersson, P.U., see Marković, N. 247 (1999) 413
- Andraud, C., T. Zabulon, A. Collet and J. Zyss, Nonlinear optical properties of polyenotupoles: a multipolar tensorial quantum analysis 245 (1999) 243
- Andrés, J., see Rotinov, A. 246 (1999) 1
- Andrzejak, M., see Petelenz, P. 243 (1999) 149
- Anishchik, S.V., V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin, Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions 242 (1999) 319
- Anisimov, O.A., see Anishchik, S.V. 242 (1999) 319
- Anisfeld, R., see Robinson, B.H. 245 (1999) 35
- Antic, D., see Crespo, R. 244 (1999) 203
- Armelin, E.A., C. Alemán, P.M. Donate and S.E. Galembeck, Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences 241 (1999) 167
- Arulmozhiraja, S., T. Fujii and H. Tokiwa, In $^+$ cation interactions with some organics: ab initio molecular orbital and density functional theory 250 (1999) 237
- Asselin, P., P. Soulard, M.E. Alikhani and J.P. Perchard, A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment 249 (1999) 73
- Aubert-Frécon, M., see Magnier, S. 246 (1999) 57
- Aubert-Frécon, M., see Rousseau, S. 247 (1999) 193
- Auzinsh, M., see Kennedy, S. 244 (1999) 449
- Axenson, T.J., see Strohkendl, F.P. 245 (1999) 285
- Bacis, R., see Inard, D. 243 (1999) 305
- Bagieu-Beucher, M., see Masse, R. 245 (1999) 365
- Ballard, C.C., see Palmer, M.H. 249 (1999) 129
- Bancewicz, M., Kurtosis of level distributions in vibrational spectra. Coupled Morse oscillators 247 (1999) 341
- Banfi, G.P., P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood, Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal 245 (1999) 345
- Barford, W., see Bursill, R.J. 243 (1999) 35
- Barnes, M.D., see Fukui, K. 244 (1999) 339
- Bartkowiak, W., see Lipiński, J. 245 (1999) 263
- Basché, T., see Mais, S. 247 (1999) 41
- Basché, Th., see Kulzer, F. 247 (1999) 23
- Bässler, H., see Romanovskii, Yu.V. 249 (1999) 29
- Bauer-Gogonea, S., S. Bauer and W. Wirges, In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques 245 (1999) 297
- Bauer, S., see Bauer-Gogonea, S. 245 (1999) 297
- Baumgarten, M. and S. Karabunarliev, Reverting the effect of magnetic couplers in bridged di- and polyradicals 244 (1999) 35
- Baumgarten, M., see Zhang, J. 246 (1999) 209

- Becucci, M., see López-Tocón, I. 249 (1999) 113
- Belchior, J.C., see Lemes, N.H.T. 241 (1999) 305
- Benderskii, V.A., E.V. Vetoshkin and H.P. Trommsdorff, Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data 244 (1999) 273
- Benderskii, V.A., E.V. Vetoshkin and H.P. Trommsdorff, Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials 244 (1999) 299
- Bens, A.T., see Ern, J. 246 (1999) 115
- Berg, L.-E., see Andersson, L.M. 241 (1999) 43
- Bernardes, E.S. and J.E.M. Hornos, The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach 242 (1999) 295
- Berrehar, J., see Donovan, K.J. 250 (1999) 61
- Berski, S., see Lundell, J. 247 (1999) 215
- Berthier, G., see Elkhatabi, S. 241 (1999) 257
- Bertolotti, M., see Michelotti, F. 245 (1999) 311
- Beutter, M., see Andersson, L.M. 241 (1999) 43
- Bhattacharya, D., see Steier, W.H. 245 (1999) 487
- Bhattacharyya, K., see Pal, S.K. 249 (1999) 63
- Bhattacharyya, S.P., see Chaudhury, P. 241 (1999) 313
- Bian, W., X. Zhao, Y. Wang and Y. Wang, Direct solution of the Schrödinger equation for some muonic molecules 242 (1999) 195
- Bibinov, N.K., see Akopyan, M.E. 242 (1999) 253
- Bibinov, N.K., see Akopyan, M.E. 242 (1999) 263
- Bielschowsky, C.E., see Rocha, A.B. 243 (1999) 9
- Bieńko, D.C., see Abkowitz-Bieńko, A.J. 250 (1999) 123
- Bignonneau, G., A. Fritsch and L. Ducasse, Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian 242 (1999) 301
- Billing, G.D., Trajectory driven second quantization approach to quantum dynamics 242 (1999) 341
- Billing, G.D., see Adhikari, S. 250 (1999) 295
- Bitterer, U., see Schmälzlin, E. 245 (1999) 73
- Blaise, P. and O. Henri-Rousseau, Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation 243 (1999) 229
- Blaise, P., O. Henri-Rousseau and A. Grandjean, Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra 244 (1999) 405
- Blaise, P., see Henri-Rousseau, O. 250 (1999) 249
- Blake, I.M., see Thorne, J.R.G. 248 (1999) 181
- Blanchard-Desce, M., see Alain, V. 245 (1999) 51
- Blau, W.J., see Holzer, W. 246 (1999) 445
- Blau, W.J., see Holzer, W. 248 (1999) 273
- Blinov, L.M., M.V. Kozlovsky and G. Cipparrone, Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores 245 (1999) 473
- Bogdanchikov, G.A., see Makarov, V.I. 242 (1999) 37
- Bohr, H.G., K.J. Jalkanen, M. Elstner, K. Frimand and S. Suhai, A comparative study of MP2, B3LYP, RHF and SCC-DFTB force fields in predicting the vibrational spectra of N-acetyl-L-alanine-N'-methyl amide: VA and VCD spectra 246 (1999) 13
- Boilot, J.-P., see Brunel, M. 246 (1999) 477

- Boiron, A.-M., Ph. Tamarat, B. Lounis, R. Brown and M. Orrit, Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures? 247 (1999) 119
- Bok, J., A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann, The convolution problem in COIN spectroscopy 244 (1999) 89
- Bondar, M.V., see Lim, J.H. 245 (1999) 79
- Bondybey, V.E., see Lorenz, M. 241 (1999) 127
- Bondybey, V.E., see Kraus, D. 247 (1999) 431
- Bordat, P. and R. Brown, A molecular model of *p*-terphenyl and its disorder–order transition 246 (1999) 323
- Borin, A.C. and F.R. Ornellas, The lowest triplet and singlet electronic states of the molecule SO 247 (1999) 351
- Borovkov, V.I., see Anishchik, S.V. 242 (1999) 319
- Borowicz, P., J. Herbich, A. Kapturkiewicz and J. Nowacki, Excited charge transfer states in donor–acceptor indole derivatives 244 (1999) 251
- Borowicz, P., J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki, Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives 249 (1999) 49
- Borsenberger, P.M., see Kadashchuk, A. 247 (1999) 307
- Bosshard, C., F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich, Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds 245 (1999) 377
- Bosshard, C., see Alain, V. 245 (1999) 51
- Bouattour, S., T. Mhiri and J. Jaud, Structure and vibrational study of a new material $\text{Rb}_{0.78}(\text{NH}_4)_{0.22}\text{H}(\text{SO}_4)_{0.9}(\text{SeO}_4)_{0.1}$ 248 (1999) 117
- Bouevitch, O., see Lewis, A. 245 (1999) 133
- Boulet, P., F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger, Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+ 244 (1999) 163
- Bourgogne, C., see Masse, R. 245 (1999) 365
- Bradley, D.D.C., see Holzer, W. 246 (1999) 445
- Bradley, D.D.C., see Holzer, W. 248 (1999) 273
- Braga, J.P., see Lemes, N.H.T. 241 (1999) 305
- Bräuchle, C., see Schmälzlin, E. 245 (1999) 73
- Bräuchle, C., see Mais, S. 247 (1999) 41
- Bräuer, A., see Gabler, Th. 245 (1999) 507
- Breckon, C., see Kuzyk, M.G. 245 (1999) 327
- Brion, C.E., see Rolke, J. 244 (1999) 1
- Brion, C.E., see Feng, R. 244 (1999) 127
- Brion, C.E., see Feng, R. 249 (1999) 223
- Brougham, D.F., A.J. Horsewill and H.P. Trommsdorff, A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds 243 (1999) 189
- Brouwer, H.-J., see van Hutten, P.F. 241 (1999) 139
- Brown, R., see Bordat, P. 246 (1999) 323
- Brown, R., see Boiron, A.-M. 247 (1999) 119
- Brožek, B. and H. Abramczyk, Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy 250 (1999) 35
- Brožek, B., see Abramczyk, H. 250 (1999) 145

- Brun, A., see Brunel, M. 246 (1999) 477
- Bruna, P.J. and F. Grein, Theoretical study of the electron-spin magnetic moments (*g*-factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and $M_2X_2^+$ compounds with $M = Li, Na$ 249 (1999) 169
- Brunel, Ch., see Tamarat, Ph. 245 (1999) 121
- Brunel, M., B. Campagne, M. Canva, A. Brun, F. Chaput and J.-P. Boilot, Ultrafast induced excited state absorption in organically doped xerogels 246 (1999) 477
- Brütting, W., see Hildebrandt, R. 245 (1999) 341
- Buckingham, A.D., see El-Sheikh, S.M. 247 (1999) 407
- Buß, V., see Falzewski, S. 243 (1999) 179
- Buldyreva, J.V., see Kouzov, A.P. 243 (1999) 137
- Bureau, B., G. Silly, J.Y. Buzaré and J. Emery, Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses 249 (1999) 89
- Burgess, J., see Sánchez, F. 243 (1999) 159
- Burshtein, A.I., Contact and remote ion radicals formation and recombination 247 (1999) 275
- Burshtein, A.I., Erratum to "Contact and remote ion radicals formation and recombination" [Chemical Physics 247 (1999) 275–291] 250 (1999) 111
- Burshtein, A.I., see Krissinel, E.B. 247 (1999) 261
- Bursill, R.J., W. Barford and H. Daly, Molecular orbital models of benzene, biphenyl and the oligophenylenes 243 (1999) 35
- Buzaré, J.Y., see Bureau, B. 249 (1999) 89
- Caballero, N.B., E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino, Kinetics of the recombination reactions of $CClF$ with CF_2 and with $CClF$ 246 (1999) 157
- Cacelli, I., see Carravetta, V. 243 (1999) 77
- Cai, C., see Bosshard, C. 245 (1999) 377
- Campagne, B., see Brunel, M. 246 (1999) 477
- Canfield, B.K., see Kuzyk, M.G. 245 (1999) 327
- Cantin, C., see Daubric, H. 244 (1999) 75
- Canva, M., see Brunel, M. 246 (1999) 477
- Cao, Z., H. Xian, W. Wu and Q. Zhang, An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F 243 (1999) 209
- Čápek, V., see Bok, J. 244 (1999) 89
- Caputo, M.C., see Ferraro, M.B. 241 (1999) 1
- Caputo, M.C., see Lazzeretti, P. 246 (1999) 75
- Caputo, R., A.V. Sukhov, N.V. Tabiryan and C. Umeton, Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern 245 (1999) 463
- Cardy, H., see Lacombe, S. 244 (1999) 175
- Carravetta, V. and I. Cacelli, Calculation of the differential photoionization cross-section of PH_3 243 (1999) 77
- Casalegno, R., see Ziane, O. 250 (1999) 199
- Castellano, E., see Caballero, N.B. 246 (1999) 157
- Castellucci, E., see López-Tocón, I. 249 (1999) 113
- Catalán, J., see Palomar, J. 246 (1999) 167
- Cataliotti, R.S., see Marri, E. 243 (1999) 323
- Cattaneo, P., M. Persico and A. Tani, Nonadiabatic processes in solution: molecular dynamics and surface hopping 246 (1999) 315

- Cavell, R.G., see Jürgensen, A. 247 (1999) 445
- Cerny, D., see Inard, D. 243 (1999) 305
- Chamma, D. and O. Henri-Rousseau, IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments 248 (1999) 71
- Chamma, D. and O. Henri-Rousseau, IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory 248 (1999) 53
- Chamma, D. and O. Henri-Rousseau, Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances 248 (1999) 91
- Champagne, B. and B. Kirtman, Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker 245 (1999) 213
- Chandra, A., see Senapati, S. 242 (1999) 353
- Chaput, F., see Brunel, M. 246 (1999) 477
- Chaudhury, P. and S.P. Bhattacharyya, Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters 241 (1999) 313
- Chauvin, A.H., see Kustova, E.V. 248 (1999) 221
- Cheche, T. and S.H. Lin, Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions 243 (1999) 123
- Chemla, D.S., see Dahan, M. 247 (1999) 85
- Chemla, D.S., see Ha, T. 247 (1999) 107
- Chen, A., see Robinson, B.H. 245 (1999) 35
- Chen, A., see Steier, W.H. 245 (1999) 487
- Chen, D., see Steier, W.H. 245 (1999) 487
- Chen, G., see Su, Z. 247 (1999) 185
- Chen, M., X. Wang, L. Zhang, M. Yu and Q. Qin, Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas 242 (1999) 81
- Chen, M., see Zhang, L. 249 (1999) 161
- Chen, P.H., see Khoo, I.C. 245 (1999) 517
- Chen, X.J., see Tian, S.X. 242 (1999) 217
- Chen, Z., see Lewis, A. 245 (1999) 133
- Chermette, H., see Boulet, P. 244 (1999) 163
- Chernousov, Yu.D., see Anishchik, S.V. 242 (1999) 319
- Chernyak, V., see Tretiak, S. 245 (1999) 145
- Cheung, G.H., see Kowert, B.A. 247 (1999) 435
- Chiba, H., see Shimizu, Y. 244 (1999) 439
- Chibisov, A.K., V.I. Prokhorenko and H. Görner, Effects of surfactants on the aggregation behaviour of thiocarbocyanine dyes 250 (1999) 47
- Chiu, D.T., C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare, Manipulating the biochemical nanoenvironment around single molecules contained within vesicles 247 (1999) 133
- Chotin, J.-L., see Field, T.A. 250 (1999) 81
- Christ, Th., see Kulzer, F. 247 (1999) 23
- Chu, S.-Y., see Lin, C.-L. 249 (1999) 145
- Chua, M. and P.A. Tanner, Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals 250 (1999) 267
- Chuchani, G., see Rotinov, A. 246 (1999) 1

- Churassy, S., see Inard, D. 243 (1999) 305
- Chuyanov, V., see Steier, W.H. 245 (1999) 487
- Cipparrone, G., see Simoni, F. 245 (1999) 429
- Cipparrone, G., see Blinov, L.M. 245 (1999) 473
- Clade, J., see Engemann, C. 243 (1999) 61
- Cobos, C.J., see Caballero, N.B. 246 (1999) 157
- Collet, A., see Andraud, C. 245 (1999) 243
- Conard, J., see Fillaux, F. 242 (1999) 273
- Cong, S.-L., K.-L. Han and N.-Q. Lou, Alignment determination of symmetric top molecule using rotationally resolved LIF 249 (1999) 183
- Consalvo, D. and J. Gripp, The electric dipole moment of the $\text{Ar}_2\text{-OCX}$ ($\text{X} = \text{O}, \text{S}$) complexes 249 (1999) 41
- Cooper, G., see Feng, R. 244 (1999) 127
- Cooper, G., see Feng, R. 249 (1999) 223
- Corval, A., see Ziane, O. 250 (1999) 199
- Cousson, A., see Fillaux, F. 244 (1999) 387
- Crespo, R., H. Teramae, D. Antic and J. Michl, Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane 244 (1999) 203
- Croce, A.E., see Caballero, N.B. 246 (1999) 157
- Curtiss, L.A., see Szarka, A.Z. 246 (1999) 147
- Czuchaj, E. and H. Stoll, Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes 248 (1999) 1
- Dahan, M., A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss, Ratiometric measurement and identification of single diffusing molecules 247 (1999) 85
- Dalton, L.R., see Robinson, B.H. 245 (1999) 35
- Dalton, L.R., see Strohkendl, F.P. 245 (1999) 285
- Dalton, L.R., see Steier, W.H. 245 (1999) 487
- Daly, H., see Bursill, R.J. 243 (1999) 35
- Dang, N.C., see Kowert, B.A. 247 (1999) 435
- Danielsson, A., see Chiu, D.T. 247 (1999) 133
- Daoudi, A., see Elkhatabi, S. 241 (1999) 257
- Da Paixão, F.J., see Amorim, J. 246 (1999) 275
- Dargelos, A., see Lacombe, S. 244 (1999) 175
- Dasari, R.R., see Kneipp, K. 247 (1999) 155
- Datta, P.K., see Banfi, G.P. 245 (1999) 345
- Daubric, H., C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn, Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of $\text{Fe}(\text{PM-PEA})_2(\text{NCS})_2$ 244 (1999) 75
- Davidenko, N.A. and A.A. Ishchenko, Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes 247 (1999) 237
- Davidson, E.R., see Rolke, J. 244 (1999) 1
- Davidson, M., see Chiu, D.T. 247 (1999) 133
- De Castro, E.V.R., F.E. Jorge and J.C. Pinheiro, Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree-Fock method 243 (1999) 1
- Decleva, P., see Fronzoni, G. 246 (1999) 127
- Degiorgio, V., see Banfi, G.P. 245 (1999) 345

- DeGrado, W.F., see Jia, Y. 247 (1999) 69
- De la Torre, G., see Rojo, G. 245 (1999) 27
- Delley, B., see Gillon, B. 250 (1999) 23
- De Luis, A., J.C. López and J.L. Alonso, The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy 248 (1999) 247
- Deniz, A.A., see Dahan, M. 247 (1999) 85
- Deniz, A.A., see Ha, T. 247 (1999) 107
- Denning, R.G., see Thorne, J.R.G. 248 (1999) 181
- De Paz, J.L.G., see Palomar, J. 246 (1999) 167
- Descamps, M., see Kuchta, B. 243 (1999) 169
- Devore, T.C. and J.L. Gole, Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes 241 (1999) 221
- Dharmesena, K., see Kennedy, S. 244 (1999) 449
- Dietter, J. and H. Morgner, Structure and dynamics at the liquid surface of benzyl alcohol 241 (1999) 55
- Dietz, F. and N. Tyutyulkov, Structure and properties of non-classical polymers. Part XII: A new family of high-spin polycyclic 1-D systems 246 (1999) 255
- Dinescu, L., see Saad, B. 245 (1999) 395
- Ding, S., see Zheng, Y. 247 (1999) 225
- Dirk, C.W., see Zhang, L. 245 (1999) 99
- Di Stefano, G., M. Lenzi and A. Ricci, Linestrengths of phosphorus monohydride. II. Isotope effect in the PX ($X = H, D$) $b^1\Sigma^+ (v' = 0) \rightarrow X^3\Sigma^- (v'' = 0)$ emission 246 (1999) 267
- Distefano, G., see Modelli, A. 250 (1999) 311
- Dogra, S.K., see Krishnamoorthy, G. 243 (1999) 45
- Doktorov, A.B., see Kipriyanov, A.A. 244 (1999) 361
- Doktorov, A.B., see Igoshin, O.A. 244 (1999) 371
- Domingo, L.R., see Rotinov, A. 246 (1999) 1
- Domínguez-Adame, F., V.A. Malyshev and A. Rodríguez, Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder 244 (1999) 351
- Donaldson, W.R., see Larkin, J.M. 244 (1999) 319
- Donate, P.M., see Armelin, E.A. 241 (1999) 167
- Donovan, K.J. and S. Spagnoli, Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU 247 (1999) 293
- Donovan, K.J., K. Scott, S. Spagnoli and J. Berrehar, DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene 250 (1999) 61
- Donovan, K.J., see Spagnoli, S. 250 (1999) 71
- Douin, S., see Field, T.A. 250 (1999) 81
- Drozd-Rzoska, A., see Habdas, P. 241 (1999) 351
- Ducasse, L., see Bignonneau, G. 242 (1999) 301
- Dulieu, F., see Field, T.A. 250 (1999) 81
- Dumont, M. and A. El Osman, On spontaneous and photoinduced orientational mobility of dye molecules in polymers 245 (1999) 437
- Duplâtre, G., see Subrahmanyam, V.S. 247 (1999) 333
- Durov, V.A., see Shilov, I.Yu. 241 (1999) 75
- Edman, L., Z. Földes-Papp, S. Wennmalm and R. Rigler, The fluctuating enzyme: a single molecule approach 247 (1999) 11

- Edman, L., see Wennmalm, S. 247 (1999) 61
- El-Sheikh, S.M., G.C. Tabisz and A.D. Buckingham, Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability 247 (1999) 407
- Elkhatabi, S., A. Daoudi, J.P. Flament and G. Berthier, On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions 241 (1999) 257
- Ellinger, Y., see Boulet, P. 244 (1999) 163
- El Osman, A., see Dumont, M. 245 (1999) 437
- Elstner, M., see Bohr, H.G. 246 (1999) 13
- Emery, J., see Bureau, B. 249 (1999) 89
- Enderlein, J., Single-molecule fluorescence near a metal layer 247 (1999) 1
- Engdahl, A. and B. Nelander, The peroxy radical ammonia complex. A matrix isolation study 249 (1999) 215
- Engel, M.K., see Nalwa, H.S. 245 (1999) 17
- Engemann, C., R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen, X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides 243 (1999) 61
- Engström, M., O. Vahtras and H. Ågren, Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals 243 (1999) 263
- Ern, J., A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Krysch, Reaction dynamics of photochromic dithienylethene derivatives 246 (1999) 115
- Evans, C.M., R. Reininger and G.L. Findley, Subthreshold photoionization spectra of CH_3I perturbed by SF_6 241 (1999) 239
- Falzewski, S., F. Terstegen and V. Buß, Structure and dynamics of helically twisted cyanine dyes 243 (1999) 179
- Fantin, P.A., see Jorge, F.E. 249 (1999) 105
- Faure, A., C. Rist and P. Valiron, Ab initio determination of the CN-NH_3 capture potential energy surface 241 (1999) 29
- Fehn, T., see Hildebrandt, R. 245 (1999) 341
- Feld, M.S., see Kneipp, K. 247 (1999) 155
- Feng, R., G. Cooper and C.E. Brion, Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV) 244 (1999) 127
- Feng, R., G. Cooper and C.E. Brion, Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV) 249 (1999) 223
- Ferguson, R., see Rennie, E.E. 250 (1999) 217
- Ferraro, M.B., M.C. Caputo and M.E. Zitto, Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential 241 (1999) 1
- Ferraro, M.B., see Lazzeretti, P. 246 (1999) 75
- Ferreira Marques, M.F., see Subrahmanyam, V.S. 247 (1999) 333
- Fetterman, H.R., see Steier, W.H. 245 (1999) 487
- Field, T.A., F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach, Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range 250 (1999) 81
- Filippone, F., see Gianturco, F.A. 241 (1999) 203
- Fillaux, F., S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson, Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds 242 (1999) 273

- Fillaux, F., N. Leygue, J. Tomkinson, A. Cousson and W. Paulus, Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study 244 (1999) 387
- Fillion, J.-H., see Field, T.A. 250 (1999) 81
- Findley, G.L., see Evans, C.M. 241 (1999) 239
- Firsov, D.A., A.A. Granovsky and A.V. Nemukhin, Application of the vibrational self-consistent field and correlation techniques to the $\text{SH}/\text{D}(\tilde{\text{A}}) \cdots \text{Rg}$ ($\text{Rg} = \text{Ar}, \text{Kr}$) van der Waals complexes 244 (1999) 67
- Fischer, H., see Wegner, M. 242 (1999) 227
- Fischer, S.F., see Frantsuzov, P.A. 241 (1999) 95
- Fisher, B.O., see Seccombe, D.P. 250 (1999) 335
- Flament, J.P., see Elkhatabi, S. 241 (1999) 257
- Focsa, C. and B. Pinchemel, Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of TiCl^+ and TiF^+ 247 (1999) 395
- Földes-Papp, Z., see Edman, L. 247 (1999) 11
- Forés, M. and S. Scheiner, Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldimine 246 (1999) 65
- Fort, A., J. Muller and L. Mager, Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers 243 (1999) 115
- Fortusini, D., see Banfi, G.P. 245 (1999) 345
- Foster, T.H., see Larkin, J.M. 244 (1999) 319
- Francisco, J.S., see Guha, S. 247 (1999) 387
- Frank, A., see Lemus, R. 242 (1999) 25
- Franke, R., see Engemann, C. 243 (1999) 61
- Frantsuzov, P.A., S.F. Fischer and A.A. Zharikov, Stochastic effects on nonadiabatic transitions 241 (1999) 95
- Fratzl, P., see Mezei, R. 246 (1999) 295
- Freundlich, P., see Wójcik, G. 249 (1999) 201
- Friedman, B.A., see Shimoi, Y. 250 (1999) 13
- Friedman, N., see Lewis, A. 245 (1999) 133
- Friend, C.S., see Winiarz, J.G. 245 (1999) 417
- Frimand, K., see Bohr, H.G. 246 (1999) 13
- Fritsch, A., see Bignonneau, G. 242 (1999) 301
- Fronzoni, G., M. Stener and P. Decleva, Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3 246 (1999) 127
- Fujii, T., see Arulmozhiraja, S. 250 (1999) 237
- Fukui, K., B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid, Collision dynamics and surface wetting of nano-scale polymer particles on substrates 244 (1999) 339
- Funatsu, T., see Ishii, Y. 247 (1999) 163
- Furuya, K., see Matsuo, A. 242 (1999) 91
- Fuzellier, H., see Fillaux, F. 242 (1999) 273
- Gabler, Th., A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann, Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler 245 (1999) 507
- Galasso, V., Theoretical study of the structure and NMR properties of μ -hydrido-bridged carbocations and carbodications 241 (1999) 247
- Galasso, V., W. Grimme, J. Lex, D. Jones and A. Modelli, A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds 242 (1999) 203

- Galembeck, S.E., see Armelin, E.A. 241 (1999) 167
- Galstyan, T.V., see Saad, B. 245 (1999) 395
- Gangopadhyay, G., S. Ghoshal and Y. Tanimura, A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system 242 (1999) 367
- García-Ruiz, J., see Rojo, G. 245 (1999) 27
- Garner, S., see Robinson, B.H. 245 (1999) 35
- Garner, S., see Steier, W.H. 245 (1999) 487
- Garvey, D.W., see Kuzyk, M.G. 245 (1999) 327
- Garvey, D.W., see Kuzyk, M.G. 245 (1999) 533
- Gastilovich, E.A., see Korol'kova, N.V. 248 (1999) 233
- Gelabert, R., M. Moreno, J.M. Lluch and A. Lledós, A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[\text{Ru}(\eta^2\text{-H}_2)(\text{C}_5\text{H}_5)(\text{H}_2\text{PCH}_2\text{PH}_2)]^+$ 241 (1999) 155
- Georges, R., see Herman, M. 246 (1999) 433
- Gerhard, A., see Romanovskii, Yu.V. 249 (1999) 29
- Ghoshal, S., see Gangopadhyay, G. 242 (1999) 367
- Gianturco, F.A. and F. Filippone, Competitive shell-filling in protonated helium clusters 241 (1999) 203
- Gilardoni, F., see Boulet, P. 244 (1999) 163
- Gillon, B., M.A. Aebersold, O. Kahn, L. Pardi and B. Delley, Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding 250 (1999) 23
- Giorgini, M.G., see Marri, E. 243 (1999) 323
- Girardet, C., see Toubin, C. 244 (1999) 227
- Girlando, A., see Hennessy, M.H. 245 (1999) 199
- Glania, C., see Wortmann, R. 245 (1999) 107
- Gödicke, B., see Zimmer, K. 248 (1999) 263
- Gole, J.L., see Devore, T.C. 241 (1999) 221
- González, C. and R.G.E. Morales, Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model 250 (1999) 279
- Gopich, I.V., see Kipriyanov, A.A. 244 (1999) 361
- Görner, H., see Chibisov, A.K. 250 (1999) 47
- Goscinski, O., see Andersson, L.M. 241 (1999) 43
- Grabner, G., see Okada, T. 241 (1999) 327
- Grabowska, A., see Wortmann, R. 243 (1999) 295
- Gracias, D.H., D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai, A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy 245 (1999) 277
- Gramlich, V., see Bosshard, C. 245 (1999) 377
- Graña, A.M. and R.A. Mosquera, Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones 243 (1999) 17
- Grandjean, A., see Blaise, P. 244 (1999) 405
- Granovsky, A.A., see Firsov, D.A. 244 (1999) 67
- Grein, F., see Hanrath, M. 249 (1999) 121
- Grein, F., see Bruna, P.J. 249 (1999) 169
- Grenthe, I., see Vallet, V. 244 (1999) 185
- Grimm, H., see Johnson, M.R. 244 (1999) 49
- Grimme, W., see Galasso, V. 242 (1999) 203
- Gripp, J., see Consalvo, D. 249 (1999) 41
- Gropen, O., see Vallet, V. 244 (1999) 185

- Gropen, O., see Maron, L. 244 (1999) 195
- Grozema, F.C., R.W.J. Zijlstra and P.Th. van Duijnen, Many-body interactions calculated with the direct reaction field model 246 (1999) 217
- Gu, X.-B., see Zhu, R.-S. 248 (1999) 285
- Gu, Y., see Wang, B. 243 (1999) 27
- Gu, Y., see Wang, B. 247 (1999) 201
- Gubler, U., see Alain, V. 245 (1999) 51
- Guenther, B.D., see Hendrickx, E. 245 (1999) 407
- Guest, M.F., see Palmer, M.H. 241 (1999) 275
- Guest, M.F., see Palmer, M.H. 247 (1999) 349
- Guha, S. and J.S. Francisco, A theoretical study of the isomerization pathways for HBrO_2 isomers 247 (1999) 387
- Günter, P., see Alain, V. 245 (1999) 51
- Günter, P., see Bosshard, C. 245 (1999) 377
- Ha, T., A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss, Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein 247 (1999) 107
- Ha, T., see Dahan, M. 247 (1999) 85
- Haarer, D., see Müller, J. 243 (1999) 201
- Habdas, P., M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska, Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture 241 (1999) 351
- Hadlinger, G., see Magnier, S. 246 (1999) 57
- Hadj Bachir, I., see Herman, M. 246 (1999) 433
- Hadziioannou, G., see van Hutten, P.F. 241 (1999) 139
- Hagan, D.J., see Lim, J.H. 245 (1999) 79
- Han, K.-L., see Wang, G.-J. 241 (1999) 213
- Han, K.-L., see Zhu, R.-S. 248 (1999) 285
- Han, K.-L., see Cong, S.-L. 249 (1999) 183
- Hanack, M., see Nalwa, H.S. 245 (1999) 17
- Hanon, A.C., see Fillaux, F. 242 (1999) 273
- Hanrath, M., S.D. Peyerimhoff and F. Grein, Theoretical studies on the electronic spectrum of linear C_6 249 (1999) 121
- Hansson, T., see Andersson, L.M. 241 (1999) 43
- Harata, A., see Tsukanova, V. 250 (1999) 207
- Hariharan, C., M.C. Rath, T. Mukherjee and A.K. Mishra, 2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters 248 (1999) 41
- Harland, P.W., see Thompson, A.E. 248 (1999) 127
- Harper, A., see Steier, W.H. 245 (1999) 487
- Harper, A.W., see Robinson, B.H. 245 (1999) 35
- Hartmann, E., see Engemann, C. 243 (1999) 61
- Hartwich, G., see Ogrodnik, A. 244 (1999) 461
- Haunert, G. and E. Tiemann, Total fragmentation of SbCl_3 by multiphoton dissociation in the UV 246 (1999) 381
- Hävecker, M., see Vinogradov, A.S. 249 (1999) 249
- Havenith, R.W.A., H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens, The excitation energies of 1,1'-bicyclohexylidene and 1,1':4',1''-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches 246 (1999) 49

- He, F.-C., see Li, X.-Y. 248 (1999) 137
- He, G.-Z., see Wang, G.-J. 241 (1999) 213
- He, G.-Z., see Zhu, R.-S. 248 (1999) 285
- Hellwarth, R.W., see Strohkendl, F.P. 245 (1999) 285
- Heming, X., see ZhaoXu, C. 250 (1999) 243
- Hendrickx, E., B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian, Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative 245 (1999) 407
- Hennessy, M.H., Z.G. Soos, R.A. Pascal Jr. and A. Girlando, Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer 245 (1999) 199
- Henri-Rousseau, O. and P. Blaise, Anharmonic effects on theoretical IR line shapes of H-bonds 250 (1999) 249
- Henri-Rousseau, O., see Blaise, P. 243 (1999) 229
- Henri-Rousseau, O., see Blaise, P. 244 (1999) 405
- Henri-Rousseau, O., see Chamma, D. 248 (1999) 53
- Henri-Rousseau, O., see Chamma, D. 248 (1999) 71
- Henri-Rousseau, O., see Chamma, D. 248 (1999) 91
- Hepp, M., see Herman, M. 246 (1999) 433
- Herbich, J., see Borowicz, P. 244 (1999) 251
- Herbich, J., see Borowicz, P. 249 (1999) 49
- Herman, M., F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner, Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1-5$) aldehyde CH stretch bands 246 (1999) 433
- Hermansson, K., see Alfredsson, M. 242 (1999) 161
- Hermida Ramón, J.M. and M.A. Ríos, A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases 250 (1999) 155
- Herregodts, F., see Herman, M. 246 (1999) 433
- Heully, J.-L., see Maron, L. 244 (1999) 195
- Hildebrandt, R., H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe, Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes 245 (1999) 341
- Hochstrasser, R.M., see Jia, Y. 247 (1999) 69
- Holland, D.M.P. and D.A. Shaw, A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene 243 (1999) 333
- Holland, D.M.P., see Rennie, E.E. 250 (1999) 217
- Holzer, W., M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau, Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films 246 (1999) 445
- Holzer, W., A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau, Photodegradation of some luminescent polymers 248 (1999) 273
- Hoppmeier, M., see Zimmer, K. 248 (1999) 263
- Hörhold, H.-H., see Gabler, Th. 245 (1999) 507
- Horie, K., see Shirota, H. 242 (1999) 115
- Hormes, J., see Engemann, C. 243 (1999) 61
- Hornos, J.E.M., see Bernardes, E.S. 242 (1999) 295
- Horsewill, A.J., see Brougham, D.F. 243 (1999) 189
- Hotokka, M., see Johansson, M. 244 (1999) 25
- Hou, H., see Wang, B. 243 (1999) 27
- Hou, H., see Wang, B. 247 (1999) 201

- Houbrecht, S., see Robinson, B.H. 245 (1999) 35
- Hsu, J.-P., M.-T. Tseng and S. Tseng, Distribution of porous colloidal particles in an energy field 242 (1999) 69
- Hsu, J.-P., see Kuo, Y.-C. 250 (1999) 285
- Huang, K.L., see Liou, H.T. 246 (1999) 391
- Hughes, A.M., see Kowert, B.A. 247 (1999) 435
- Hunter, G., The nature of the $B^{(3)}$ field 242 (1999) 331
- Hurst, J.K., P. Wormell, E. Krausz and A.R. Lacey, The electronic spectrum of 1, 4, 5, 8-tetraazaphthalene 246 (1999) 229
- Hwang, D.-Y., A.M. Mebel and B.-C. Wang, Ab initio study of the addition of atomic carbon with water 244 (1999) 143
- Ibach, W., see Gracias, D.H. 245 (1999) 277
- Ibuki, T., see Kanda, K. 243 (1999) 89
- Ibuki, T., see Shimizu, Y. 244 (1999) 439
- Igoshin, O.A., A.A. Kipriyanov and A.B. Doktorov, Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions 244 (1999) 371
- Igoshin, O.A., see Krissinel, E.B. 247 (1999) 261
- Imhof, P., W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns, Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid 242 (1999) 141
- Imhof, P., W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns, Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid 242 (1999) 153
- Inard, D., D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov, $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy 243 (1999) 305
- Inoue, T., see Tsukanova, V. 250 (1999) 207
- Ishchenko, A.A., see Davidenko, N.A. 247 (1999) 237
- Ishchenko, V.N., see Makarov, V.I. 242 (1999) 37
- Ishii, Y., T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida, Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution 247 (1999) 163
- Ito, H., see Sohma, S. 245 (1999) 359
- Itzkan, I., see Kneipp, K. 247 (1999) 155
- Ivannikov, V.I., see Anishchik, S.V. 242 (1999) 319
- Ivanov, A.I. and V.V. Potovoi, Theory of non-thermal electron transfer 247 (1999) 245
- Jäckel, J.-G. and H. Jones, ZEKE spectroscopy of aniline–X (X = Ar, Kr, N₂ and CO) van der Waals complex cations 247 (1999) 321
- Jalkanen, K.J., see Bohr, H.G. 246 (1999) 13
- Jansen, M., see Engemann, C. 243 (1999) 61
- Janzen, C., see Imhof, P. 242 (1999) 141
- Janzen, C., see Imhof, P. 242 (1999) 153
- Janzen, Ch., see Roth, W. 248 (1999) 17
- Jarosz, S., see Wortmann, R. 243 (1999) 295
- Jarvis, G.K., see Secombe, D.P. 250 (1999) 335
- Jasny, J., see Sepiol, J. 247 (1999) 35

- Jastrzebski, W., see Rousseau, S. 247 (1999) 193
- Jaud, J., see Bouattour, S. 248 (1999) 117
- Jaworska, M., RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tri-carbonyliron, $\text{CbFe}(\text{CO})_3$ 242 (1999) 11
- Jelesko, F., see Tamarat, Ph. 245 (1999) 121
- Jen, A.K.Y., see Robinson, B.H. 245 (1999) 35
- Jenneskens, L.W., see Havenith, R.W.A. 246 (1999) 49
- Jhon, M.S., see Jung, D.H. 244 (1999) 331
- Jia, Y., D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser, Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy 247 (1999) 69
- Johansson, M., M. Hotokka, M. Pettersson and M. Räsänen, Quantum chemical potential energy surfaces for HXeCl 244 (1999) 25
- Johari, G.P. and D.A. Wasylyshyn, Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies 242 (1999) 283
- Johnson, C.A.F., see Rennie, E.E. 250 (1999) 217
- Johnson, J.R.T. and I. Panas, Structure, bonding and redox properties of scandium oxide clusters, a model study 248 (1999) 161
- Johnson, J.R.T. and I. Panas, Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides 249 (1999) 273
- Johnson, M.R., M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson, Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups 244 (1999) 49
- Jones, D., see Galasso, V. 242 (1999) 203
- Jones, H., see Jäckel, J.-G. 247 (1999) 321
- Jordan, P.C., see Tanizaki, S. 246 (1999) 37
- Jorge, F.E. and P.A. Fantin, A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method 249 (1999) 105
- Jorge, F.E., see de Castro, E.V.R. 243 (1999) 1
- Jung, D.H., J.H. Yang and M.S. Jhon, The effect of an external electric field on the structure of liquid water using molecular dynamics simulations 244 (1999) 331
- Jungen, M., see Luo, M. 241 (1999) 297
- Jürgensen, A., N. Kosugi and R.G. Cavell, The sulphur 2p photoabsorption spectrum of NSF_3 247 (1999) 445
- Kadashchuk, A., D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika, The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems 247 (1999) 307
- Kafafi, Z.H., see Strohkendl, F.P. 245 (1999) 285
- Kahn, O., see Daubric, H. 244 (1999) 75
- Kahn, O., see Gillon, B. 250 (1999) 23
- Kalamegham, P., see Zhang, L. 245 (1999) 99
- Kalugin, N.G., P. Kleindienst and G.H. Wagnière, The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals 248 (1999) 105
- Kamchatnov, A.M., see Agranovich, V.M. 245 (1999) 175
- Kanda, K., T. Nagata and T. Ibuki, Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region 243 (1999) 89
- Kang, T.J., see Ohta, K. 242 (1999) 103

- Kapturkiewicz, A., see Borowicz, P. 244 (1999) 251
- Kapturkiewicz, A., see Borowicz, P. 249 (1999) 49
- Karabunarliev, S., see Baumgarten, M. 244 (1999) 35
- Karafiloglou, P. and J.-P. Launay, Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions 250 (1999) 1
- Karlsson, A., see Chiu, D.T. 247 (1999) 133
- Karlsson, H.O., see Andersson, L.M. 241 (1999) 43
- Kato, T., K. Yoshizawa and T. Yamabe, Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene 247 (1999) 375
- Kauffmann, H.F., see Bok, J. 244 (1999) 89
- Kawai, J., see Suzuki, C. 241 (1999) 17
- Kawai, J., see Suzuki, C. 247 (1999) 453
- Kawasaki, S., see Suzuki, C. 241 (1999) 17
- Kazaoui, S., see Petelenz, P. 243 (1999) 149
- Kearley, G.J., see Johnson, M.R. 244 (1999) 49
- Keller, H.-M., see Hildebrandt, R. 245 (1999) 341
- Kelly, J.F., see Munn, R.W. 245 (1999) 227
- Kennedy, S., K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray, A method to obtain meV-collision-energy resolution in scattering studies: application to the $\text{H} + \text{D}_2 \rightarrow \text{HD}(\nu' = 0, j') + \text{D}(\theta_{\text{rel}} < 80^\circ)$ reaction at $E_{\text{rel}} = 1.275 \pm 0.011$ eV 244 (1999) 449
- Ketelaars, M., see van Oijen, A.M. 247 (1999) 53
- Kharlamov, B.M., see Müller, J. 243 (1999) 201
- Khatchatouriants, A., see Lewis, A. 245 (1999) 133
- Khmelninskii, I.V., see Makarov, V.I. 242 (1999) 37
- Khodja, S., see Lim, J.H. 245 (1999) 79
- Khodykin, O.V., see Müller, J. 243 (1999) 201
- Khoo, I.C., P.H. Chen, M.V. Wood and M.-Y. Shih, Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application 245 (1999) 517
- Kim, J.H., see Lim, A.R. 246 (1999) 373
- Kippelen, B., see Hendrickx, E. 245 (1999) 407
- Kipriyanov, A.A., I.V. Gopich and A.B. Doktorov, A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $\text{A} + \text{B} \rightarrow \text{B}$ in liquid solutions 244 (1999) 361
- Kipriyanov, A.A., see Igoshin, O.A. 244 (1999) 371
- Kirtman, B., see Champagne, B. 245 (1999) 213
- Kir'yanova, T.A., see Korol'kova, N.V. 248 (1999) 233
- Kleindienst, P., see Kalugin, N.G. 248 (1999) 105
- Kleiner, I., see Herman, M. 246 (1999) 433
- Kleinermanns, K., see Imhof, P. 242 (1999) 141
- Kleinermanns, K., see Imhof, P. 242 (1999) 153
- Kliava, J., see Daubric, H. 244 (1999) 75
- Klimenko, V.G., see Korol'kova, N.V. 248 (1999) 233
- Kneipp, H., see Kneipp, K. 247 (1999) 155
- Kneipp, K., H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld, Surface-enhanced non-linear Raman scattering at the single-molecule level 247 (1999) 155
- Knop-Gericke, A., see Vinogradov, A.S. 249 (1999) 249
- Knox, R.S., see Larkin, J.M. 244 (1999) 319

- Koberling, F., see Kulzer, F. 247 (1999) 23
- Kochubei, S.A., see Makarov, V.I. 242 (1999) 37
- Koda, S., see Otomo, J. 242 (1999) 241
- Koeberg, M., see Wegner, M. 242 (1999) 227
- Köhler, G., see Okada, T. 241 (1999) 327
- Köhler, J., see van Oijen, A.M. 247 (1999) 53
- Kokh, D.B., see Akopyan, M.E. 242 (1999) 253
- Kokh, D.B., see Akopyan, M.E. 242 (1999) 263
- Kołodziej, H.A., see Wójcik, G. 249 (1999) 201
- Komorowska, M., J. Lamperski and L. Komorowski, Near-infrared-induced proton transfer studied by electron spin resonance 244 (1999) 101
- Komorowski, L., see Komorowska, M. 244 (1999) 101
- Kondo, A.E., A. Salam and W.J. Meath, On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms 243 (1999) 215
- Korol'kova, N.V., V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich, Internal heavy-atom effect on spin-orbit and vibronic-spin-orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives 248 (1999) 233
- Korth, O., A. Wiehe, H. Kurreck and B. Röder, Photoinduced intramolecular electron transfer in covalently linked porphyrin-triptycene-(bis)quinone diads and triads 246 (1999) 363
- Kortlüke, O. and W. von Niessen, Influence of hollow site adsorption in a model for the catalytic $\text{CO} + \text{O}_2$ and $\text{CO} + \text{NO}$ reaction 247 (1999) 299
- Kosmas, A.M., see Papayannis, D. 243 (1999) 249
- Kossanyi, J., see Ronfard-Haret, J.C. 241 (1999) 339
- Kosugi, N., see Jürgensen, A. 247 (1999) 445
- Koudriavtsev, A.B., A modified Bragg and Williams approximation of the two-step spin crossover 241 (1999) 109
- Kouzov, A.P. and J.V. Buldyreva, Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium 243 (1999) 137
- Kowalczyk, P., see Rousseau, S. 247 (1999) 193
- Kowert, B.A., A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed, Translational diffusion of transition metal complexes 247 (1999) 435
- Kownacki, K., see Wortmann, R. 243 (1999) 295
- Kozlovsky, M.V., see Blinov, L.M. 245 (1999) 473
- Krämer, P., see Wortmann, R. 245 (1999) 107
- Krasnikov, S.A., see Vinogradov, A.S. 249 (1999) 249
- Krasnikov, V.V., see van Hutten, P.F. 241 (1999) 139
- Kraus, D., R.J. Saykally and V.E. Bondybey, Cavity ringdown spectroscopy search for transition metal dimers 247 (1999) 431
- Krausz, E., see Hurst, J.K. 246 (1999) 229
- Krishnamoorthy, G. and S.K. Dogra, Dual fluorescence of 2-(4'-N,N-dimethyl-aminophenyl)benzoxazole: effect of solvent and pH 243 (1999) 45
- Krissinel, E.B., O.A. Igoshin and A.I. Burshtein, Integral, unified and Markovian theories of biexcitonic photoionization 247 (1999) 261
- Kryshi, C., see Ern, J. 246 (1999) 115
- Kuchta, B., M. Descamps and J.F. Willart, Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal 243 (1999) 169

- Kuebler, S.M., see Thorne, J.R.G. 248 (1999) 181
- Kulzer, F., F. Koberling, Th. Christ, A. Mews and Th. Basché, Terrylene in *p*-terphenyl: single-molecule experiments at room temperature 247 (1999) 23
- Kung, C.-Y., see Fukui, K. 244 (1999) 339
- Kuo, Y.-C. and J.-P. Hsu, Dynamic stability ratio of a colloidal dispersion 250 (1999) 285
- Kurosaki, Y., see Sato, K. 242 (1999) 1
- Kurreck, H., see Korth, O. 246 (1999) 363
- Kustova, E.V., E.A. Nagnibeda and A.H. Chauvin, State-to-state nonequilibrium reaction rates 248 (1999) 221
- Kuzyk, M.G., D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon, Characterization of single-mode polymer optical fiber and electrooptic fiber devices 245 (1999) 327
- Kuzyk, M.G., D.W. Garvey, S.R. Vigil and D.J. Welker, All-optical devices in polymer optical fiber 245 (1999) 533
- Lacey, A.R., see Hurst, J.K. 246 (1999) 229
- Lacombe, S., M. Loudet, H. Cardy and A. Dargelos, The thiyl peroxy radical: formation and UV spectrum. A multiconfigurational ab initio study 244 (1999) 175
- Lal, M., see Winiarz, J.G. 245 (1999) 417
- Lamperski, J., see Komorowska, M. 244 (1999) 101
- Lang, G., E. Paladino and U. Weiss, Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour 244 (1999) 111
- Langhals, H., see Schmälzlin, E. 245 (1999) 73
- Larkin, J.M., W.R. Donaldson, T.H. Foster and R.S. Knox, Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- +1064-nm laser excitation 244 (1999) 319
- Larsen, R.J., see Strohkendl, F.P. 245 (1999) 285
- Latajka, Z., see Lundell, J. 247 (1999) 215
- Latajka, Z., see Abkowicz-Bieńko, A.J. 250 (1999) 123
- Latychevskaia, T.Yu., see Sepioł, J. 247 (1999) 35
- Lau, W.L., see Jia, Y. 247 (1999) 69
- Launay, J.-P., see Karafiloglou, P. 250 (1999) 1
- Lauterbach, C., see Engemann, C. 243 (1999) 61
- Lazzeretti, P., M.C. Caputo and M.B. Ferraro, Thomas–Reiche–Kuhn populations in alkanes 246 (1999) 75
- Leach, S., see Field, T.A. 250 (1999) 81
- Lebus, S., see Alain, V. 245 (1999) 51
- Lebus, S., see Wortmann, R. 243 (1999) 295
- Lecoutre, M., see Herman, M. 246 (1999) 433
- Ledoux, I., I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey, Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects 245 (1999) 1
- Ledoux, I., see Rojo, G. 245 (1999) 27
- Ledoux, I., see Robinson, B.H. 245 (1999) 35
- Lee, M., see Robinson, B.H. 245 (1999) 35
- Lee, S.-S., see Steier, W.H. 245 (1999) 487
- Lehnert, W., E. Leiva, W. Schmickler and J.W. Schultze, A simple method for calculating the corrugation of metal surfaces 247 (1999) 207

- Leininger, T., see Vallet, V. 244 (1999) 185
- Leininger, T., see Maron, L. 244 (1999) 195
- Leiva, E., see Lehnert, W. 247 (1999) 207
- Lemaire, J.-L., see Field, T.A. 250 (1999) 81
- Lemaistre, J.P., Localization length and intraband scattering of excitons in linear aggregates 246 (1999) 283
- Lemes, N.H.T., J.P. Braga and J.C. Belchior, Classical trajectory study on Ar – Cl₂ van der Waals system using a recent potential 241 (1999) 305
- Lemieux, R.P., see Saad, B. 245 (1999) 395
- Lemus, R. and A. Frank, A local mode description of anharmonic vibrational excitations in linear molecules 242 (1999) 25
- Lenzi, M., see Di Stefano, G. 246 (1999) 267
- Létard, J.-F., see Daubric, H. 244 (1999) 75
- Lewis, A., A. Khatchaturiants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres, Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans* 245 (1999) 133
- Lex, J., see Galasso, V. 242 (1999) 203
- Leygue, N., see Fillaux, F. 244 (1999) 387
- Li, R., see McGivern, W.S. 249 (1999) 237
- Li, X.-Y., X.-S. Tang and F.-C. He, Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem 248 (1999) 137
- Liang, J., see Ha, T. 247 (1999) 107
- Liang, W., see Su, Z. 247 (1999) 185
- Lianos, L., see Gracias, D.H. 245 (1999) 277
- Lim, A.R., J.H. Kim and B.M. Novak, Rigidity of the backbone for poly(bis(4-butoxy-carbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ¹³C T_{1ρ} measurements 246 (1999) 373
- Lim, J.H., O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky, Polymethine and squarylium molecules with large excited-state absorption 245 (1999) 79
- Lima, M.A.P., see Amorim, J. 246 (1999) 275
- Lin, C.-L., M.-D. Su and S.-Y. Chu, Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br) 249 (1999) 145
- Lin, S.H., see Cheche, T. 243 (1999) 123
- Lino, J.L.S., see Amorim, J. 246 (1999) 275
- Liou, H.T. and K.L. Huang, Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS₂ 246 (1999) 391
- Lipiński, J. and W. Bartkowiak, Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations 245 (1999) 263
- Lledós, A., see Gelabert, R. 241 (1999) 155
- Lluch, J.M., see Gelabert, R. 241 (1999) 155
- Lluch, J.M., see Paz, J.J. 246 (1999) 103
- Loew, L., see Lewis, A. 245 (1999) 133
- López-Cornejo, P., see Sánchez, F. 243 (1999) 159
- López-Cornejo, P., see López-López, M. 250 (1999) 321
- López, J.C., see de Luis, A. 248 (1999) 247
- López-López, M., P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez, Estimation of electron transfer rate constants by static (optical and electrochemical) measurements 250 (1999) 321

- López-Tocón, I., J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci, The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state 249 (1999) 113
- Lorenz, M. and V.E. Bondybey, Isotopically resolved spectra of tungsten oxides in solid neon 241 (1999) 127
- Lossau, H., see Ogrodnik, A. 244 (1999) 461
- Lou, N.-Q., see Wang, G.-J. 241 (1999) 213
- Lou, N.-Q., see Zhu, R.-S. 248 (1999) 285
- Lou, N.-Q., see Cong, S.-L. 249 (1999) 183
- Loudet, M., see Lacombe, S. 244 (1999) 175
- Lounis, B., see Tamarat, Ph. 245 (1999) 121
- Lounis, B., see Boiron, A.-M. 247 (1999) 119
- Loureiro, J., see Amorim, J. 246 (1999) 275
- Lozovoy, V.V., O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii, Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment 243 (1999) 97
- Lu, H. and K. Schulten, Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations 247 (1999) 141
- Lu, H.S.M., see Jia, Y. 247 (1999) 69
- Lukaszuk, K., see Alain, V. 245 (1999) 51
- Lukaszuk, K., see Wortmann, R. 245 (1999) 107
- Lukzen, N.N., V.A. Morozov and R.Z. Sagdeev, Radical polarization in double switching of external magnetic field 241 (1999) 193
- Lukzen, N.N., see Anishchik, S.V. 242 (1999) 319
- Lundell, J., S. Berski and Z. Latajka, Density functional study of the Xe_2H_3^+ cation 247 (1999) 215
- Lundqvist, A., see Chiu, D.T. 247 (1999) 133
- Luo, M. and M. Jungen, The H_3O Rydberg radical 241 (1999) 297
- Maali, A., see Tamarat, Ph. 245 (1999) 121
- MacLagan, R.G.A.R., see Thompson, A.E. 248 (1999) 127
- Mager, L., see Fort, A. 243 (1999) 115
- Magnier, S., S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon, Potential energy curves of 58 states of Li_2^+ 246 (1999) 57
- Magnier, S., see Rousseau, S. 247 (1999) 193
- Mais, S., T. Basché, G. Müller, K. Müllen and C. Bräuchle, Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids 247 (1999) 41
- Makarov, V.I., R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko, Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0 -level of the $\tilde{\text{A}}^1\text{A}_u$ state 242 (1999) 37
- Malik, P., see Habdas, P. 241 (1999) 351
- Malyshev, V.A., see Domínguez-Adame, F. 244 (1999) 351
- Manceron, L. and M.E. Alikhani, Infrared spectrum and structure of $\text{Ni}(\text{CO})_2$. A matrix isolation and DFT study 244 (1999) 215
- Manceron, L., see Tremblay, B. 242 (1999) 235
- Manceron, L., see Tremblay, B. 250 (1999) 187
- Mandal, D., see Pal, S.K. 249 (1999) 63
- Manetta, S., see Bosshard, C. 245 (1999) 377
- Marder, S.R., see Hendrickx, E. 245 (1999) 407

- Marković, N., P.U. Andersson, M.B. Nägård and J.B.C. Pettersson, Scattering of water from graphite: simulations and experiments 247 (1999) 413
- Marković, N., see Svedung, H. 248 (1999) 195
- Maron, L. and C. Teichteil, Erratum to "On the accuracy of averaged relativistic shape-consistent pseudopotentials" [Chem. Phys. 237 (1998) 105–122] 242 (1999) 293
- Maron, L., T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren, Investigation of the low-lying excited states of PuO_2^{2+} 244 (1999) 195
- Maron, L., see Vallet, V. 244 (1999) 185
- Marowsky, G., see Hildebrandt, R. 245 (1999) 341
- Marri, E., A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini, Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile 243 (1999) 323
- Martin, H.-D., see Ern, J. 246 (1999) 115
- Martin, M.B., see Kowert, B.A. 247 (1999) 435
- Mase, K., see Nagaoka, S. 249 (1999) 15
- Masse, R., J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne, Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics 245 (1999) 365
- Matschiner, R., see Wortmann, R. 245 (1999) 107
- Matsubara, T., see Sato, K. 242 (1999) 1
- Matsuo, A., K. Furuya and T. Ogawa, Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements 242 (1999) 91
- Mavri, J., see Tanizaki, S. 246 (1999) 37
- May, V., see Scheller, R. 264 (1999) 191
- Mazzulla, A., see Simoni, F. 245 (1999) 429
- McGivern, W.S., R. Li, P. Zou, T. Nguyen and S.W. North, The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy 249 (1999) 237
- Meath, W.J., see Kondo, A.E. 243 (1999) 215
- Mebel, A.M., see Hwang, D.-Y. 244 (1999) 143
- Meerholz, K., see Schmälzlin, E. 245 (1999) 73
- Melissas, V.S., see Papayannis, D. 243 (1999) 249
- Menu, S., see Fillaux, F. 242 (1999) 273
- Mets, Ü., see Widengren, J. 250 (1999) 171
- Mews, A., see Kulzer, F. 247 (1999) 23
- Meyer, H., see Zimmer, K. 248 (1999) 263
- Mezei, R., K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl, Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium 246 (1999) 295
- Mhiri, T., see Bouattour, S. 248 (1999) 117
- Michalska, D., see Abkowitz-Bieńko, A.J. 250 (1999) 123
- Michel-Beyerle, M.E., see Ogrodnik, A. 244 (1999) 461
- Michelotti, F., G. Nicolao, F. Tesi and M. Bertolotti, On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique 245 (1999) 311
- Michl, J., see Crespo, R. 244 (1999) 203
- Miller, J.R., see Szarka, A.Z. 246 (1999) 147
- Minami, N., see Petelenz, P. 243 (1999) 149
- Mishra, A.K., see Hariharan, C. 248 (1999) 41
- Misiaszek, T., see Wójcik, G. 249 (1999) 201

- Mitra, S. and N. Tamai, A combined experimental and theoretical study on the photochromism of aromatic anils 246 (1999) 463
- Moc, J., Theoretical study of the CH_2Br , CHBr_2 and CBr_3 radicals 247 (1999) 365
- Modelli, A., F. Scagnolari and G. Distefano, Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde: electron affinities and anion yield upon electron impact 250 (1999) 311
- Modelli, A., see Galasso, V. 242 (1999) 203
- Molin, Yu.N., see Anishchik, S.V. 242 (1999) 319
- Möller, S. and G. Weiser, Photoconductivity of polydiacetylene chains in polymer and monomer single crystals 246 (1999) 483
- Molodtsov, S.L., see Vinogradov, A.S. 249 (1999) 249
- Morales, R.G.E., see González, C. 250 (1999) 279
- Moreno, M., see Gelabert, R. 241 (1999) 155
- Moreno, M., see Paz, J.J. 246 (1999) 103
- Morgner, H., see Dietter, J. 241 (1999) 55
- Morozov, V.A., see Lukzen, N.N. 241 (1999) 193
- Morresi, A., see Marri, E. 243 (1999) 323
- Moser, S., see Kennedy, S. 244 (1999) 449
- Mosquera, R.A., see Graña, A.M. 243 (1999) 17
- Msezane, A.Z., see Ozimba, P.A. 246 (1999) 87
- Mukamel, S., see Tretiak, S. 245 (1999) 145
- Mukamel, S., see Ern, J. 246 (1999) 115
- Mukherjee, T., see Hariharan, C. 248 (1999) 41
- Mukoyama, T., see Suzuki, C. 241 (1999) 17
- Mukoyama, T., see Suzuki, C. 247 (1999) 453
- Müllen, K., see Mais, S. 247 (1999) 41
- Müller, G., see Mais, S. 247 (1999) 41
- Müller, J., O.V. Khodykin, D. Haarer and B.M. Kharlamov, Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit 243 (1999) 201
- Muller, J., see Fort, A. 243 (1999) 115
- Munn, R.W., J.F. Kelly and F.M. Aicken, Analysis of the linear and non-linear optics of crystals of CHI_3 , S_8 and their 1:3 complex 245 (1999) 227
- Muriel, F., see Sánchez, F. 243 (1999) 159
- Musin, R.N., see Makarov, V.I. 242 (1999) 37
-
- Nagaoka, S., K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima, Site-specific phenomena in Si:2p core-level photoionization of $\text{X}_3\text{Si}(\text{CH}_2)_n\text{Si}(\text{CH}_3)_3$ ($\text{X} = \text{F}$ or Cl , $n = 0-2$) condensed on a Si(111) surface 249 (1999) 15
- Någård, M.B., see Marković, N. 247 (1999) 413
- Nagashima, U., see Nagaoka, S. 249 (1999) 15
- Nagasono, M., see Nagaoka, S. 249 (1999) 15
- Nagata, T., see Kanda, K. 243 (1999) 89
- Nagnibeda, E.A., see Kustova, E.V. 248 (1999) 221
- Nakajima, T. and H. Nakatsuji, Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC-CI (configuration interaction) method 242 (1999) 177
- Nakatsuji, H., see Nakajima, T. 242 (1999) 177

- Nalwa, H.S., M. Hanack, G. Pawlowski and M.K. Engel, Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π -conjugation length on third-order optical nonlinearity of two-dimensional molecules 245 (1999) 17
- Nelander, B., see Engdahl, A. 249 (1999) 215
- Nemukhin, A.V., see Firsov, D.A. 244 (1999) 67
- Nešpùrek, S., see Kadashchuk, A. 247 (1999) 307
- Neumann, M.A., see Johnson, M.R. 244 (1999) 49
- Nguyen, T., see McGivern, W.S. 249 (1999) 237
- Nicolao, G., see Michelotti, F. 245 (1999) 311
- Nicoud, J.-F., see Masse, R. 245 (1999) 365
- Noid, D.W., see Fukui, K. 244 (1999) 339
- Nordholm, S., see Chiu, D.T. 247 (1999) 133
- Nordholm, S., see Svedung, H. 248 (1999) 195
- North, S.W., see McGivern, W.S. 249 (1999) 237
- Nota, M., see Inard, D. 243 (1999) 305
- Novak, B.M., see Lim, A.R. 246 (1999) 373
- Nover, J.N. and H.-H. Schmidtke, Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands 241 (1999) 179
- Nowacki, J., see Borowicz, P. 244 (1999) 251
- Nowacki, J., see Borowicz, P. 249 (1999) 49
- Ogawa, T., see Matsuo, A. 242 (1999) 91
- Ogawa, T., see Tsukanova, V. 250 (1999) 207
- Ogrodnik, A., G. Hartwich, H. Lossau and M.E. Michel-Beyerle, Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study 244 (1999) 461
- Ohmori, K., see Shimizu, Y. 244 (1999) 439
- Ohshita, J., see Nagaoka, S. 249 (1999) 15
- Ohta, K., T.J. Kang, K. Tominaga and K. Yoshihara, Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study 242 (1999) 103
- Okada, K., see Shimizu, Y. 244 (1999) 439
- Okada, T., M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner, Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ) 241 (1999) 327
- Okunishi, M., see Shimizu, Y. 244 (1999) 439
- Oliver, A.M., see Wegner, M. 242 (1999) 227
- Onuchic, J.N., J. Wang and P.G. Wolynes, Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions 247 (1999) 175
- Opallo, M., see Borowicz, P. 249 (1999) 49
- Oppel, M. and G.K. Paramonov, Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of $HONO_2$ in the ground electronic state 250 (1999) 131
- Ornellas, F.R., see Borin, A.C. 247 (1999) 351
- Orrit, M., see Tamarat, Ph. 245 (1999) 121
- Orrit, M., see Boiron, A.-M. 247 (1999) 119
- Orwar, O., see Chiu, D.T. 247 (1999) 133

- Ostapenko, N., see Kadashchuk, A. 247 (1999) 307
- Otero, J.C., see López-Tocón, I. 249 (1999) 113
- Otomo, J. and S. Koda, UV absorption shifts of benzenes in supercritical carbon dioxide 242 (1999) 241
- Ozimba, P.A. and A.Z. Msezane, Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules 246 (1999) 87
- Paddon-Row, M.N., see Wegner, M. 242 (1999) 227
- Pagliusi, P., see Simoni, F. 245 (1999) 429
- Painelli, A., Amplification of NLO responses: vibronic and solvent effects in push-pull polyenes 245 (1999) 185
- Pajak, Z., see Wójcik, G. 249 (1999) 201
- Pal, S.K., D. Mandal, D. Sukul and K. Bhattacharyya, Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles 249 (1999) 63
- Paladino, E., see Lang, G. 244 (1999) 111
- Paliani, G., see Marri, E. 243 (1999) 323
- Palmer, M.H., I.C. Walker and M.F. Guest, The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations 241 (1999) 275
- Palmer, M.H., I.C. Walker and M.F. Guest, Erratum to "The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations". [Chemical Physics 241 (1999) 275–296] 247 (1999) 349
- Palmer, M.H., C.C. Ballard and I.C. Walker, The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations 249 (1999) 129
- Palomar, J., J.L.G. De Paz and J. Catalán, Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds 246 (1999) 167
- Paluch, M., see Habdas, P. 241 (1999) 351
- Pan, F., see Bosshard, C. 245 (1999) 377
- Panas, I., see Johnson, J.R.T. 248 (1999) 161
- Panas, I., see Johnson, J.R.T. 249 (1999) 273
- Papayannis, D., A.M. Kosmas and V.S. Melissas, Ab initio calculations for (BrO)₂ system and quasiclassical dynamics study of BrO self-reaction 243 (1999) 249
- Paramonov, G.K., see Oppel, M. 250 (1999) 131
- Pardi, L., see Gillon, B. 250 (1999) 23
- Paris, O., see Mezei, R. 246 (1999) 295
- Parker, J.E., see Rennie, E.E. 250 (1999) 217
- Parker, S.W., see Fillaux, F. 242 (1999) 273
- Partridge, H., see Tanizaki, S. 246 (1999) 37
- Pascal Jr., R.A., see Hennessy, M.H. 245 (1999) 199
- Paulus, W., see Fillaux, F. 244 (1999) 387
- Pawlowski, G., see Nalwa, H.S. 245 (1999) 17
- Paz, J.J., M. Moreno and J.M. Lluch, Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study 246 (1999) 103
- Pecul, M. and J. Sadlej, The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene 248 (1999) 27
- Peleg, G., see Lewis, A. 245 (1999) 133
- Penzkofer, A., see Holzer, W. 246 (1999) 445

- Penzkofer, A., see Holzer, W. 248 (1999) 273
- Perchard, J.P., see Asselin, P. 249 (1999) 73
- Pérez-Tejeda, P., see López-López, M. 250 (1999) 321
- Persico, M., see Cattaneo, P. 246 (1999) 315
- Personov, R.I., see Romanovskii, Yu.V. 249 (1999) 29
- Persoons, A., see Robinson, B.H. 245 (1999) 35
- Pertsch, T., see Gabler, Th. 245 (1999) 507
- Petelenz, P., M. Andrzejak, S. Kazaoui and N. Minami, Temperature dependence of fullerene electroabsorption spectra – model calculations 243 (1999) 149
- Pettersson, J.B.C., see Marković, N. 247 (1999) 413
- Pettersson, M., see Johansson, M. 244 (1999) 25
- Peyrimhoff, S.D., see Sengupta, D. 248 (1999) 147
- Peyrimhoff, S.D., see Hanrath, M. 249 (1999) 121
- Peyghambarian, N., see Hendrickx, E. 245 (1999) 407
- Picaud, S., see Toubin, C. 244 (1999) 227
- Pichlmaier, M., see Holzer, W. 246 (1999) 445
- Pichlmaier, M., see Holzer, W. 248 (1999) 273
- Pietraperzia, G., see López-Tocón, I. 249 (1999) 113
- Pinchemel, B., see Focsa, C. 247 (1999) 395
- Pinheiro, J.C., see de Castro, E.V.R. 243 (1999) 1
- Pino, G.A., see Caballero, N.B. 246 (1999) 157
- Plonka, A., see Vlad, M.O. 243 (1999) 273
- Popa-Nita, V., Magnetic-field-induced isotropic-nematic phase transition in porous media 246 (1999) 247
- Potovoi, V.V., see Ivanov, A.I. 247 (1999) 245
- Prager, M., see Johnson, M.R. 244 (1999) 49
- Prasad, P.N., see Winiarz, J.G. 245 (1999) 417
- Pravilov, A.M., see Akopyan, M.E. 242 (1999) 253
- Pravilov, A.M., see Akopyan, M.E. 242 (1999) 263
- Preobrajenski, A.B., see Vinogradov, A.S. 249 (1999) 249
- Prokhorenko, V.I., see Chibisov, A.K. 250 (1999) 47
- Przhonska, O.V., see Lim, J.H. 245 (1999) 79
- Qin, Q., see Chen, M. 242 (1999) 81
- Qin, Q.-z., see Zhang, L. 249 (1999) 161
- Räsänen, M., see Johansson, M. 244 (1999) 25
- Rath, M.C., see Hariharan, C. 248 (1999) 41
- Rechthaler, K., see Okada, T. 241 (1999) 327
- Rédoglia, S., see Alain, V. 245 (1999) 51
- Reed, J.P., see Kowert, B.A. 247 (1999) 435
- Reininger, R., see Evans, C.M. 241 (1999) 239
- Reis, H., see Wortmann, R. 243 (1999) 295
- Ren, A., see Robinson, B.H. 245 (1999) 35
- Ren, A.S., see Steier, W.H. 245 (1999) 487
- Renn, A., see Sepiöl, J. 247 (1999) 35
- Rennie, E.E., C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw, A photoabsorption and mass spectrometry study of pyrrole 250 (1999) 217
- Rettig, W., see Okada, T. 241 (1999) 327

- Ricci, A., see Di Stefano, G. 246 (1999) 267
- Rigler, R., see Edman, L. 247 (1999) 11
- Rigler, R., see Wennmalm, S. 247 (1999) 61
- Rigler, R., see Widengren, J. 249 (1999) 259
- Rigler, R., see Widengren, J. 250 (1999) 171
- Ríos, M.A., see Hermida Ramón, J.M. 250 (1999) 155
- Rist, C., see Faure, A. 241 (1999) 29
- Robinson, B.H., L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen, The molecular and supramolecular engineering of polymeric electro-optic materials 245 (1999) 35
- Rocha, A.B. and C.E. Bielschowsky, Inner-shell excitations of water molecule 243 (1999) 9
- Rode, B.M., see Shilov, I.Yu. 241 (1999) 75
- Röder, B., see Korth, O. 246 (1999) 363
- Rodríguez, A., see Sánchez, F. 243 (1999) 159
- Rodríguez, A., see Domínguez-Adame, F. 244 (1999) 351
- Rohonczy, J., see Mezei, R. 246 (1999) 295
- Rojo, G., G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López, Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics 245 (1999) 27
- Rolke, J., Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson, Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory 244 (1999) 1
- Romanovskii, Yu.V., A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler, Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene) 249 (1999) 29
- Romero, M., see Zhang, L. 245 (1999) 99
- Ronfard-Haret, J.C. and J. Kossanyi, Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+} - and Li^{+} -doped ZnO ceramics. Influence of the sintering temperature 241 (1999) 339
- Ross, J., see Vlad, M.O. 243 (1999) 273
- Ross, T.S., see Lim, J.H. 245 (1999) 79
- Roth, W., D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt, The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration 248 (1999) 17
- Roth, W., see Imhof, P. 242 (1999) 141
- Roth, W., see Imhof, P. 242 (1999) 153
- Rothman, Z., see Lewis, A. 245 (1999) 133
- Rotinov, A., G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont, A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase 246 (1999) 1
- Rotkiewicz, K., see Okada, T. 241 (1999) 327
- Rousseau, S., A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski, Theoretical study of the electronic structure of KLi and comparison with experiments 247 (1999) 193
- Rousseau, S., see Magnier, S. 246 (1999) 57
- Rumi, M. and G. Zerbi, Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes 242 (1999) 123
- Runge, K., see Fukui, K. 244 (1999) 339

- Ryttsén, F., see Chiu, D.T. 247 (1999) 133
- Rzoska, S.J., see Habdas, P. 241 (1999) 351
- Saad, B., T.V. Galstyan, L. Dinescu and R.P. Lemieux, Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal 245 (1999) 395
- Sadlej, J., see Pecul, M. 248 (1999) 27
- Safont, V.S., see Rotinov, A. 246 (1999) 1
- Sagdeev, R.Z., see Lukzen, N.N. 241 (1999) 193
- Sakimoto, K., A semiclassical study of vibrational and rotational transition in $\text{He} + \text{H}_2$ at suprathermal energies 249 (1999) 1
- Salam, A., see Kondo, A.E. 243 (1999) 215
- Samuel, I.D.W., see Ledoux, I. 245 (1999) 1
- Sánchez, F., A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo, Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy 243 (1999) 159
- Sánchez, F., see López-López, M. 250 (1999) 321
- Šanda, F., see Bok, J. 244 (1999) 89
- Sarkisov, O.M., see Lozovoy, V.V. 243 (1999) 97
- Sato, K., S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi, Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S 242 (1999) 1
- Sato, Y., see Shimizu, Y. 244 (1999) 439
- Saykally, R.J., see Kraus, D. 247 (1999) 431
- Scagnolari, F., see Modelli, A. 250 (1999) 311
- Schattenmann, F.J., see Ledoux, I. 245 (1999) 1
- Scheiner, S., see Forés, M. 246 (1999) 65
- Scheller, R. and V. May, Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a 264 (1999) 191
- Schimmelpfennig, B., see Vallet, V. 244 (1999) 185
- Schimmelpfennig, B., see Maron, L. 244 (1999) 195
- Schmälzlin, E., U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz, Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching 245 (1999) 73
- Schmickler, W., see Lehnert, W. 247 (1999) 207
- Schmid, D., see Ern, J. 246 (1999) 115
- Schmidt, J., see van Oijen, A.M. 247 (1999) 53
- Schmidtke, H.-H., see Nover, J.N. 241 (1999) 179
- Schmitt, M., see Roth, W. 248 (1999) 17
- Schrock, R.R., see Ledoux, I. 245 (1999) 1
- Schulten, K., see Lu, H. 247 (1999) 141
- Schultz, P.G., see Dahan, M. 247 (1999) 85
- Schultz, P.G., see Ha, T. 247 (1999) 107
- Schultze, J.W., see Lehnert, W. 247 (1999) 207
- Schweig, A., see Zimmer, K. 248 (1999) 263
- Schweitzer, B., see Romanovskii, Yu.V. 249 (1999) 29
- Schwoerer, M., see Hildebrandt, R. 245 (1999) 341
- Scott, K., see Donovan, K.J. 250 (1999) 61
- Scott, K., see Spagnoli, S. 250 (1999) 71

- Seccombe, D.P., G.K. Jarvis, B.O. Fisher and R.P. Tuckett, Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron-photoion coincidence spectroscopy 250 (1999) 335
- Senapati, S. and A. Chandra, Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study 242 (1999) 353
- Sengupta, D., R. Sumathi and S.D. Peyerimhoff, Unimolecular decomposition of the isomers of $[\text{HNO}_2]^+$ and $[\text{HNO}_2]^-$ systems: a DFT study 248 (1999) 147
- Sepioł, J., A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild, Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices 247 (1999) 35
- Serov, S.A., see Korol'kova, N.V. 248 (1999) 233
- Shafer-Ray, N.E., see Kennedy, S. 244 (1999) 449
- Shaw, D.A., see Holland, D.M.P. 243 (1999) 333
- Shaw, D.A., see Rennie, E.E. 250 (1999) 217
- Shebolaev, I.V., see Anishchik, S.V. 242 (1999) 319
- Shen, Y.R., see Gracias, D.H. 245 (1999) 277
- Shepherd, E.E.A., see Banfi, G.P. 245 (1999) 345
- Sheres, M., see Lewis, A. 245 (1999) 133
- Sherwood, J.N., see Banfi, G.P. 245 (1999) 345
- Shi, Z., see Rolke, J. 244 (1999) 1
- Shih, M.-Y., see Khoo, I.C. 245 (1999) 517
- Shilov, I.Yu., B.M. Rode and V.A. Durov, Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation 241 (1999) 75
- Shimizu, Y., K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada, Auger electron spectra of CF_3CN , CF_3Cl , CF_2Cl_2 and CFCl_3 244 (1999) 439
- Shimoi, Y. and B.A. Friedman, A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers 250 (1999) 13
- Shirota, H. and K. Horie, Deuterium isotope effect on swelling process in aqueous polymer gels 242 (1999) 115
- Shulin, Y., see ZhaoXu, C. 250 (1999) 243
- Silbey, R.J., see Ledoux, I. 245 (1999) 1
- Silly, G., see Bureau, B. 249 (1999) 89
- Simoni, F., G. Cipparrone, A. Mazzulla and P. Pagliusi, Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording 245 (1999) 429
- Sinkó, K., see Mezei, R. 246 (1999) 295
- Sipe, J.E., see Hildebrandt, R. 245 (1999) 341
- Skorokhodov, V., see Inard, D. 243 (1999) 305
- Slominsky, Y.L., see Lim, J.H. 245 (1999) 79
- Slyadneva, O., see Tsukanova, V. 250 (1999) 207
- Sohlberg, K., Mechanism of efficient V–V in collisions of $\text{N}_2^+(\nu > 0)$ with N_2 246 (1999) 307
- Sohma, S., H. Takahashi, T. Taniuchi and H. Ito, Organic nonlinear optical crystal DAST growth and its device applications 245 (1999) 359
- Somerton, M., see Spagnoli, S. 250 (1999) 71
- Somorjai, G.A., see Gracias, D.H. 245 (1999) 277
- Soos, Z.G., see Hennessy, M.H. 245 (1999) 199
- Soulard, P., see Asselin, P. 249 (1999) 73
- Spagnoli, S., K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson, Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU 250 (1999) 71

- Spagnoli, S., see Donovan, K.J. 247 (1999) 293
- Spagnoli, S., see Donovan, K.J. 250 (1999) 61
- Spangenberg, D., see Imhof, P. 242 (1999) 141
- Spangenberg, D., see Imhof, P. 242 (1999) 153
- Spangenberg, D., see Roth, W. 248 (1999) 17
- Spreiter, R., see Bosshard, C. 245 (1999) 377
- Springborg, M., Dimensionality effects on the electronic and structural properties of PtS_2 chains 246 (1999) 347
- Starukhin, A., see Sepioł, J. 247 (1999) 35
- Staub, K., see Hendrickx, E. 245 (1999) 407
- Steier, W.H., A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap, Polymer electro-optic devices for integrated optics 245 (1999) 487
- Steier, W.H., see Robinson, B.H. 245 (1999) 35
- Stener, M., see Fronzoni, G. 246 (1999) 127
- Stepanov, M.B., see Akopyan, M.E. 242 (1999) 253
- Stepanov, M.B., see Akopyan, M.E. 242 (1999) 263
- Stockmann, R., see Gabler, Th. 245 (1999) 507
- Stoll, H., see Czuchaj, E. 248 (1999) 1
- Strohkendl, F.P., T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi, Nonlinear optical spectra of C_{70} 245 (1999) 285
- Strömberg, A., see Chiu, D.T. 247 (1999) 133
- Su, M.-D., see Lin, C.-L. 249 (1999) 145
- Su, Z., W. Liang and G. Chen, Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal 247 (1999) 185
- Subrahmanyam, V.S., M.F. Ferreira Marques and G. Duplâtre, Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions 247 (1999) 333
- Sugiura, M., see Sato, K. 242 (1999) 1
- Suhai, S., see Bohr, H.G. 246 (1999) 13
- Sukhov, A.V., see Caputo, R. 245 (1999) 463
- Sukul, D., see Pal, S.K. 249 (1999) 63
- Sumathi, R., see Sengupta, D. 248 (1999) 147
- Sumpter, B.G., see Fukui, K. 244 (1999) 339
- Suzuki, C., J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama, Local spin moment of LaCoO_3 probed by a core hole 241 (1999) 17
- Suzuki, C., J. Kawai, H. Adachi and T. Mukoyama, Electronic structures of 3d transition metal (Ti-Cu) oxides probed by a core hole 247 (1999) 453
- Suzuki, I.H., see Shimizu, Y. 244 (1999) 439
- Svedung, H., N. Marković and S. Nordholm, Collisional deactivation of CF_3I - a molecular dynamics simulation 248 (1999) 195
- Syutkin, V.M., Target problem in a lattice with randomly removed bonds 248 (1999) 213
- Szargan, R., see Vinogradov, A.S. 249 (1999) 249
- Szarka, A.Z., L.A. Curtiss and J.R. Miller, Calculation of temporary anion states using density functional theory 246 (1999) 147
- Szorek, R., A dynamic model for linear locally stiff polymers in dilute solutions 241 (1999) 83
- Szorek, R., Dynamics of linear polymers in dilute solutions 246 (1999) 335
- Szostak, M.M., see Wójcik, G. 249 (1999) 201

- Tabiryan, N.V., see Caputo, R. 245 (1999) 463
Tabisz, G.C., see El-Sheikh, S.M. 247 (1999) 407
Tachikawa, H., Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study 244 (1999) 263
Takahashi, H., see Sohma, S. 245 (1999) 359
Takano, M., see Suzuki, C. 241 (1999) 17
Takayanagi, T., see Sato, K. 242 (1999) 1
Takeshita, K., A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra 250 (1999) 113
Talaga, D.S., see Jia, Y. 247 (1999) 69
Tamai, N., see Mitra, S. 246 (1999) 463
Tamarat, Ph., F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit, Non-linear optical response of single molecules 245 (1999) 121
Tamarat, Ph., see Boiron, A.-M. 247 (1999) 119
Tanaka, S., see Nagaoka, S. 249 (1999) 15
Tang, X.-S., see Li, X.-Y. 248 (1999) 137
Tani, A., see Cattaneo, P. 246 (1999) 315
Tanimura, Y., see Gangopadhyay, G. 242 (1999) 367
Taniuchi, T., see Sohma, S. 245 (1999) 359
Tanizaki, S., J. Mavri, H. Partridge and P.C. Jordan, Unusual distributed charge models of water's electric potential 246 (1999) 37
Tanizawa, J.-y., see Suzuki, C. 241 (1999) 17
Tanner, P.A., see Chua, M. 250 (1999) 267
Taylor, P.N., see Thorne, J.R.G. 248 (1999) 181
Teichteil, C., see Maron, L. 242 (1999) 293
Teichteil, C., see Vallet, V. 244 (1999) 185
Teichteil, C., see Maron, L. 244 (1999) 195
Teramae, H., see Crespo, R. 244 (1999) 203
Terry, B., see Widengren, J. 249 (1999) 259
Terstegen, F., see Falzewski, S. 243 (1999) 179
Tesi, F., see Michelotti, F. 245 (1999) 311
Thomas, C., see Daubric, H. 244 (1999) 75
Thompson, A.E., R.G.A.R. MacLagan and P.W. Harland, The ab-initio calculation of the gas phase ion mobility of Na^+ in N_2 248 (1999) 127
Thorne, J.R.G., S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson, Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers 248 (1999) 181
Tian, S.X., C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu, How many uracil tautomers there are? Density functional studies of stability ordering of tautomers 242 (1999) 217
Tiemann, E., see Haunert, G. 246 (1999) 381
Ting, A.Y., see Ha, T. 247 (1999) 107
Todorova, G., see Robinson, B.H. 245 (1999) 35
Todorova, G., see Steier, W.H. 245 (1999) 487
Tokiwa, H., see Arulmozhiraja, S. 250 (1999) 237
Tominaga, K., see Ohta, K. 242 (1999) 103
Tomkinson, J., see Fillaux, F. 242 (1999) 273
Tomkinson, J., see Fillaux, F. 244 (1999) 387
Torres, T., see Rojo, G. 245 (1999) 27

- Tortschanoff, A., see Bok, J. 244 (1999) 89
- Tostenrude, J., see Kuzyk, M.G. 245 (1999) 327
- Toubin, C., S. Picaud and C. Girardet, Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study 244 (1999) 227
- Tran, H.D., see Kowert, B.A. 247 (1999) 435
- Treinin, M., see Lewis, A. 245 (1999) 133
- Tremblay, B. and L. Manceron, Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon 242 (1999) 235
- Tremblay, B. and L. Manceron, The vibrational spectrum of PdCO isolated in solid argon 250 (1999) 187
- Tretiak, S., V. Chernyak and S. Mukamel, Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes 245 (1999) 145
- Tretiak, S., see Ern, J. 246 (1999) 115
- Trommsdorff, H.P., see Brougham, D.F. 243 (1999) 189
- Trommsdorff, H.P., see Benderskii, V.A. 244 (1999) 273
- Trommsdorff, H.P., see Benderskii, V.A. 244 (1999) 299
- Tsap, B., see Steier, W.H. 245 (1999) 487
- Tseng, M.-T., see Hsu, J.-P. 242 (1999) 69
- Tseng, S., see Hsu, J.-P. 242 (1999) 69
- Tsiper, E., see Ern, J. 246 (1999) 115
- Tsukanova, V., O. Slyadneva, T. Inoue, A. Harata and T. Ogawa, Compression of the dye monolayer at the air/water interface studied by second harmonic generation 250 (1999) 207
- Tsunashima, S., see Sato, K. 242 (1999) 1
- Tuckett, R.P., see Seccombe, D.P. 250 (1999) 335
- Twieg, R.J., see Wortmann, R. 245 (1999) 107
- Tyutyulkov, N., see Dietz, F. 246 (1999) 255
- Udupa, A., see Steier, W.H. 245 (1999) 487
- Ueda, K., see Shimizu, Y. 244 (1999) 439
- Uesugi, M., see Okada, T. 241 (1999) 327
- Umanskii, S.Y., see Lozovoy, V.V. 243 (1999) 97
- Umeton, C., see Caputo, R. 245 (1999) 463
- Urisu, T., see Nagaoka, S. 249 (1999) 15
- Vahtras, O., see Engström, M. 243 (1999) 263
- Valiron, P., see Faure, A. 241 (1999) 29
- Vallet, V., B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren, Reduction of uranyl by hydrogen: an ab initio study 244 (1999) 185
- Vallet, V., see Maron, L. 244 (1999) 195
- Van Dam, H.J.J., see Havenith, R.W.A. 246 (1999) 49
- Van Duijnen, P.Th., see Grozema, F.C. 246 (1999) 217
- Van Hutten, P.F., V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou, Excimer luminescence from single crystals and films of a cyano-substituted phenylene-vinylene model compound 241 (1999) 139
- Van Lenthe, J.H., see Havenith, R.W.A. 246 (1999) 49
- Van Oijen, A.M., M. Ketelaars, J. Köhler, T.J. Aartsma and J. Schmidt, Spectroscopy of individual LH2 complexes of *Rhodospseudomonas acidophila*: localized excitations in the B800 band 247 (1999) 53

- Van Stryland, E.W., see Lim, J.H. 245 (1999) 79
Vasyutinskii, O.S., see Akopyan, M.E. 242 (1999) 263
Verhoeven, J.W., see Wegner, M. 242 (1999) 227
Vetchinkin, A.S., see Lozovoy, V.V. 243 (1999) 97
Vetoshkin, E.V., see Benderskii, V.A. 244 (1999) 273
Vetoshkin, E.V., see Benderskii, V.A. 244 (1999) 299
Vigil, S.R., see Kuzyk, M.G. 245 (1999) 327
Vigil, S.R., see Kuzyk, M.G. 245 (1999) 533
Vinogradov, A.S., A.B. Preobrajenski, S.L. Molodtsov, S.A. Krasnikov, R. Szargan, A. Knop-Gericke and M. Hävecker, Nitrogen and oxygen core excitations in solid NaNO_2 studied by X-ray absorption and resonant photoemission 249 (1999) 249
Vlad, M.O., J. Ross and A. Plonka, Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data 243 (1999) 273
Von Niessen, W., see Kortlüke, O. 247 (1999) 299

Wagnière, G.H., The magnetochiral effect and related optical phenomena 245 (1999) 165
Wagnière, G.H., see Kalugin, N.G. 248 (1999) 105
Wahlgren, U., see Vallet, V. 244 (1999) 185
Wahlgren, U., see Maron, L. 244 (1999) 195
Wakabayashi, S., see Sato, K. 242 (1999) 1
Walker, I.C., see Palmer, M.H. 241 (1999) 275
Walker, I.C., see Palmer, M.H. 247 (1999) 349
Walker, I.C., see Palmer, M.H. 249 (1999) 129
Wang, B., H. Hou and Y. Gu, Water-catalyzed mechanism for the pyrolysis of formic acid 243 (1999) 27
Wang, B., H. Hou and Y. Gu, Theoretical investigation of the reactions of $\text{O}(^3\text{P})$ with CH_3F and CH_2F_2 247 (1999) 201
Wang, B.-C., see Hwang, D.-Y. 244 (1999) 143
Wang, F., see Robinson, B.H. 245 (1999) 35
Wang, F., see Steier, W.H. 245 (1999) 487
Wang, G.-J., H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou, Photodissociation of 1-bromo-2-chloroethane at 266 nm 241 (1999) 213
Wang, G.-J., see Zhu, R.-S. 248 (1999) 285
Wang, J., see Onuchic, J.N. 247 (1999) 175
Wang, J.F., see Hendrickx, E. 245 (1999) 407
Wang, L., see Zhang, J. 246 (1999) 209
Wang, R., see Zhang, J. 246 (1999) 209
Wang, X., see Chen, M. 242 (1999) 81
Wang, X., see Zhang, L. 249 (1999) 161
Wang, Y., see Bian, W. 242 (1999) 195
Wang, Y., see Bian, W. 242 (1999) 195
Wąsicki, J., see Wójcik, G. 249 (1999) 201
Wasylyshyn, D.A., see Johari, G.P. 242 (1999) 283
Wazawa, T., see Ishii, Y. 247 (1999) 163
Weber, J., see Boulet, P. 244 (1999) 163
Wegner, M., H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row, Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems 242 (1999) 227

- Weiser, G., see Möller, S. 246 (1999) 483
- Weiss, D.S., see Kadashchuk, A. 247 (1999) 307
- Weiss, S., see Dahan, M. 247 (1999) 85
- Weiss, S., see Ha, T. 247 (1999) 107
- Weiss, U., see Lang, G. 244 (1999) 111
- Welker, D.J., see Kuzyk, M.G. 245 (1999) 327
- Welker, D.J., see Kuzyk, M.G. 245 (1999) 533
- Wennmalm, S., L. Edman and R. Rigler, Non-ergodic behaviour in conformational transitions of single DNA molecules 247 (1999) 61
- Wennmalm, S., see Edman, L. 247 (1999) 11
- Westphal, A., see Roth, W. 248 (1999) 17
- Widengren, J., B. Terry and R. Rigler, Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH 249 (1999) 259
- Widengren, J., Ü. Mets and R. Rigler, Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy 250 (1999) 171
- Wiehe, A., see Korth, O. 246 (1999) 363
- Wild, U.P., see Sepioł, J. 247 (1999) 35
- Willart, J.F., see Kuchta, B. 243 (1999) 169
- Wilson, C.C., see Johnson, M.R. 244 (1999) 49
- Wilson, C.F., see Chiu, D.T. 247 (1999) 133
- Wilson, E.G., see Spagnoli, S. 250 (1999) 71
- Winiarz, J.G., L. Zhang, M. Lal, C.S. Friend and P.N. Prasad, Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite 245 (1999) 417
- Wirges, W., see Bauer-Gogonea, S. 245 (1999) 297
- Wójcik, G., M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich, Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods 249 (1999) 201
- Wolfe, S., see Rolke, J. 244 (1999) 1
- Wolynes, P.G., see Onuchic, J.N. 247 (1999) 175
- Wong, M.S., see Bosshard, C. 245 (1999) 377
- Wood, M.V., see Khoo, I.C. 245 (1999) 517
- Wormell, P., see Hurst, J.K. 246 (1999) 229
- Wortmann, R., S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz, Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyi)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyi)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited 243 (1999) 295
- Wortmann, R., C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You, Highly transparent and birefringent chromophores for organic photorefractive materials 245 (1999) 107
- Wortmann, R., see Alain, V. 245 (1999) 51
- Wu, W., see Cao, Z. 243 (1999) 209
- Xian, H., see Cao, Z. 243 (1999) 209
- Xu, K.Z., see Tian, S.X. 242 (1999) 217
- Yaliraki, S.N., see Ledoux, I. 245 (1999) 1
- Yamabe, T., see Kato, T. 247 (1999) 375

- Yanagida, T., see Ishii, Y. 247 (1999) 163
Yang, J.H., see Jung, D.H. 244 (1999) 331
Yang, S., see Lim, J.H. 245 (1999) 79
Yoshida, T., see Ishii, Y. 247 (1999) 163
Yoshihara, K., see Ohta, K. 242 (1999) 103
Yoshizawa, K., see Kato, T. 247 (1999) 375
You, F., see Wortmann, R. 245 (1999) 107
You, X.-z., see Zhu, X.-l. 250 (1999) 303
Yu, M., see Chen, M. 242 (1999) 81
- Zabulon, T., see Andraud, C. 245 (1999) 243
Zaika, V., see Kadashchuk, A. 247 (1999) 307
Zare, R.N., see Chiu, D.T. 247 (1999) 133
Zerbi, G., see Rumi, M. 242 (1999) 123
Zhang, C., see Robinson, B.H. 245 (1999) 35
Zhang, C., see Steier, W.H. 245 (1999) 487
Zhang, C.F., see Tian, S.X. 242 (1999) 217
Zhang, D., see Gracias, D.H. 245 (1999) 277
Zhang, H., see Wang, G.-J. 241 (1999) 213
Zhang, H., see Steier, W.H. 245 (1999) 487
Zhang, H., see Zhu, R.-S. 248 (1999) 285
Zhang, J., R. Wang, L. Wang and M. Baumgarten, Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals 246 (1999) 209
Zhang, L., P. Kalamegham, M. Romero and C.W. Dirk, Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes 245 (1999) 99
Zhang, L., X. Wang, M. Chen and Q.-z. Qin, DFT calculation and matrix isolation FTIR studies on the formation of CF₃OBr from O(¹D) and CF₃Br in solid argon 249 (1999) 161
Zhang, L., see Chen, M. 242 (1999) 81
Zhang, L., see Winiarz, J.G. 245 (1999) 417
Zhang, Q., see Cao, Z. 243 (1999) 209
Zhang, Q., see Hendrickx, E. 245 (1999) 407
Zhang, Y., see Hendrickx, E. 245 (1999) 407
Zhang, Z.J., see Tian, S.X. 242 (1999) 217
Zhao, X., see Bian, W. 242 (1999) 195
ZhaoXu, C., X. Heming and Y. Shulin, Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts 250 (1999) 243
Zharikov, A.A., see Frantsuzov, P.A. 241 (1999) 95
Zheng, Y. and S. Ding, Algebraic method for determining the potential energy surface for nonlinear triatomic molecules 247 (1999) 225
Zheng, Y., see Rolke, J. 244 (1999) 1
Zhou, Z.-h., see Zhu, X.-l. 250 (1999) 303
Zhu, D.-r., see Zhu, X.-l. 250 (1999) 303
Zhu, R.-S., H. Zhang, G.-J. Wang, X.-B. Gu, K.-L. Han, G.-Z. He and N.-Q. Lou, Photodissociation of *o*-dichlorobenzene at 266 nm 248 (1999) 285
Zhu, R.-S., see Wang, G.-J. 241 (1999) 213
Zhu, X.-l., X.-z. You, D.-r. Zhu and Z.-h. Zhou, Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide 250 (1999) 303
Ziane, O., R. Casalegno and A. Corval, Multistep photoinduced proton transfer in crystalline 2-(2',4'-dinitrobenzyl)pyridine 250 (1999) 199

- Zijlstra, R.W.J., see Grozema, F.C. 246 (1999) 217
- Zimmer, K., B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig, Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes 248 (1999) 263
- Zitto, M.E., see Ferraro, M.B. 241 (1999) 1
- Zou, P., see McGivern, W.S. 249 (1999) 237
- Zyss, J., see Ledoux, I. 245 (1999) 1
- Zyss, J., see Robinson, B.H. 245 (1999) 35
- Zyss, J., see Rojo, G. 245 (1999) 27
- Zyss, J., see Andraud, C. 245 (1999) 243

Subject index to volumes 241–250

Methods and constructs

Theoretical

Computational methods for electronic structure

- Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential,
M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
- Local spin moment of LaCoO_3 probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa,
H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17
- On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S.
Elkhattabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
- Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S , K. Sato, S.
Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1
- RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron,
 $\text{CbFe}(\text{CO})_3$, M. Jaworska 242 (1999) 11
- Conformational dependence of linear and nonlinear molecular optical properties by ab
initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy
and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg
and K. Kleinermanns 242 (1999) 141
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy
and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg
and K. Kleinermanns 242 (1999) 153
- Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and
ice, M. Alfredsson and K. Hermansson 242 (1999) 161
- Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao,
Y. Wang and Y. Wang 242 (1999) 195
- Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an
effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
- Accurate Gaussian basis sets for second-row atoms and ions generated with the improved
generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C.
Pinheiro 243 (1999) 1
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes
and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W.
Barford and H. Daly 243 (1999) 35

- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F , Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
- Ab initio calculations for $(\text{BrO})_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
- Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
- Ab initio study of the addition of atomic carbon with water, D.-Y. Hwang, A.M. Mebel and B.-C. Wang 244 (1999) 143
- Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
- Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+ , P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
- The thiyl peroxy radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
- Reduction of uranyl by hydrogen: an ab initio study, V. Vallet, B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren 244 (1999) 185
- Investigation of the low-lying excited states of PuO_2^{2+} , L. Maron, T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren 244 (1999) 195
- Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
- Vibronic structure of PTCDA stacks: the exciton-phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
- Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree-Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
- Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
- A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
- A comparative study of MP2, B3LYP, RHF and SCC-DFTB force fields in predicting the vibrational spectra of N-acetyl-L-alanine-N'-methyl amide: VA and VCD spectra, H.G. Bohr, K.J. Jalkanen, M. Elstner, K. Frimand and S. Suhai 246 (1999) 13
- Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37
- The excitation energies of 1,1'-bicyclohexylidene and 1,1':4',1''-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches, R.W.A. Havenith, H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens 246 (1999) 49
- Potential energy curves of 58 states of Li_2^+ , S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
- Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldehyde, M. Forés and S. Scheiner 246 (1999) 65
- Thomas-Reiche-Kuhn populations in alkanes, P. Lazzeretti, M.C. Caputo and M.B. Ferraro 246 (1999) 75

- Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
- Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
- Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
- Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal, Z. Su, W. Liang and G. Chen 247 (1999) 185
- Theoretical study of the electronic structure of KLi and comparison with experiments, S. Rousseau, A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski 247 (1999) 193
- Theoretical study of the CH_2Br , CHBr_2 and CBr_3 radicals, J. Moc 247 (1999) 365
- Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole, C. Suzuki, J. Kawai, H. Adachi and T. Mukoyama 247 (1999) 453
- Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1
- The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
- Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He 248 (1999) 137
- Unimolecular decomposition of the isomers of $[\text{HNO}_2]^+$ and $[\text{HNO}_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
- Site-specific phenomena in Si:2p core-level photoionization of $\text{X}_3\text{Si}(\text{CH}_2)_n\text{Si}(\text{CH}_3)_3$ ($\text{X} = \text{F}$ or Cl , $n = 0–2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
- A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method, F.E. Jorge and P.A. Fantin 249 (1999) 105
- The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113
- Theoretical studies on the electronic spectrum of linear C_6 , M. Hanrath, S.D. Peyerimhoff and F. Grein 249 (1999) 121
- A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
- In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237

-CI and valence bond approach

- The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
- Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1

- Quantum chemical potential energy surfaces for HXeCl, M. Johansson, M. Hotokka, M. Pettersson and M. Räsänen 244 (1999) 25
- Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
- Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
- The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
- The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
- Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
- perturbative and many body approaches*
- Ab initio determination of the CN–NH₃ capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
- Theoretical study of the structure and NMR properties of μ -hydrido-bridged carbocations and carbocations, V. Galasso 241 (1999) 247
- Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
- A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
- Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
- Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF₃, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
- Theoretical investigation of the reactions of O(³P) with CH₃F and CH₂F₂, B. Wang, H. Hou and Y. Gu 247 (1999) 201
- The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
- density functional theory*
- A DVR analysis of some vibrational modes in the elongated dihydrogen complex [Ru(η^2 -H₂)(C₅H₅)(H₂PCH₂PH₂)]⁺, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
- How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
- Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
- Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49

- Infrared spectrum and structure of $\text{Ni}(\text{CO})_2$. A matrix isolation and DFT study, L. Manceron and M.E. Alikhani 244 (1999) 215
- Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3 , G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
- Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
- Kinetics of the recombination reactions of CClF with CF_2 and with CClF , N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
- Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
- A simple method for calculating the corrugation of metal surfaces, W. Lehnert, E. Leiva, W. Schmickler and J.W. Schultze 247 (1999) 207
- Density functional study of the Xe_2H_3^+ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
- Theoretical study of the CH_2Br , CHBr_2 and CBr_3 radicals, J. Moc 247 (1999) 365
- Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375
- A theoretical study of the isomerization pathways for HBrO_2 isomers, S. Guha and J.S. Francisco 247 (1999) 387
- Unimolecular decomposition of the isomers of $[\text{HNO}_2]^+$ and $[\text{HNO}_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
- Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
- A new interpretation of the IR spectrum of $\text{H}(\text{D})\text{Cl}$ complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
- Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO ($\text{X} = \text{H}, \text{F}, \text{Cl}, \text{and Br}$), C.-L. Lin, M.-D. Su and S.-Y. Chu 249 (1999) 145
- DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $\text{O}(^1\text{D})$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161
- Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
- Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowitz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
- In^+ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237

Semiempirical methods

- Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences, E.A. Armelin, C. Alemán, P.M. Donate and S.E. Galembeck 241 (1999) 167
- Low symmetry ligand field splittings in optical spectra of pseudotetrahedral $\text{Co}(\text{II})$ complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Dual fluorescence of 2-(4'-*N,N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of triorganophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

- Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
- Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227
- Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
- Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
- Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
- Many-body interactions calculated with the direct reaction field model, F.C. Grozema, R.W.J. Zijlstra and P.Th. van Duijnen 246 (1999) 217
- The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
- Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of TiCl^+ and TiF^+ , C. Focsa and B. Pinchemel 247 (1999) 395
- Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
- Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses, B. Bureau, G. Silly, J.Y. Buzaré and J. Emery 249 (1999) 89
- A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers, Y. Shimoï and B.A. Friedman 250 (1999) 13
- Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243
- Algebraic approaches*
- A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
- The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295
- Application of the vibrational self-consistent field and correlation techniques to the $\text{SH}/\text{D}(\tilde{\text{A}}) \cdots \text{Rg}$ ($\text{Rg} = \text{Ar}, \text{Kr}$) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
- Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225
- Relativistic electronic structure theory*
- Reduction of uranyl by hydrogen: an ab initio study, V. Vallet, B. Schimmelpfennig, L. Maron, C. Teichtel, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren 244 (1999) 185
- Investigation of the low-lying excited states of PuO_2^{2+} , L. Maron, T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichtel, O. Gropen and U. Wahlgren 244 (1999) 195
- Wavefunctions for highly excited and unbound states*
- The H_3O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77

- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- Potential energy curves of 58 states of Li_2^+ , S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
- Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldehyde, M. Forés and S. Scheiner 246 (1999) 65
- Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
- The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351

Spin states and magnetic interactions

- Radical polarization in double switching of external magnetic field, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 241 (1999) 193
- Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0 -level of the \tilde{A}^1A_u state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
- Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
- Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
- Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
- Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of $\text{Fe}(\text{PM-PEA})_2(\text{NCS})_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
- Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
- Magnetic-field-induced isotropic-nematic phase transition in porous media, V. Popa-Nita 246 (1999) 247
- Structure and properties of non-classical polymers. Part XII: A new family of high-spin polycyclic 1-D systems, F. Dietz and N. Tyutyulkov 246 (1999) 255
- Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237
- Theoretical study of the electron-spin magnetic moments (g -factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and M_2X_2^+ compounds with $\text{M} = \text{Li}, \text{Na}$, P.J. Bruna and F. Grein 249 (1999) 169
- Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

- Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
- Radical polarization in double switching of external magnetic field, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 241 (1999) 193

- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
- Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
- The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
- Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects, I. Ledoux, I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey 245 (1999) 1
- Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
- The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
- Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
- Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
- Analysis of the linear and non-linear optics of crystals of CHI_3 , S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
- Nonlinear optical properties of polyenectupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
- Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
- Nonlinear optical spectra of C_{70} , F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
- In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
- Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
- Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
- Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Bucher and C. Bourgoigne 245 (1999) 365
- Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
- Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395

- Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
- Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
- On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
- Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
- Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
- Thomas-Reiche-Kuhn populations in alkanes, P. Lazzeretti, M.C. Caputo and M.B. Ferraro 246 (1999) 75
- Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
- Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
- Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
- Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of HONO_2 in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
- Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249

Radiative (incl. relativistic) effects on molecules and molecular processes

- Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
- The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
- Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons, V.M. Agranovich and A.M. Kamchatnov 245 (1999) 175
- Linestrengths of phosphorus monohydride. II. Isotope effect in the PX ($\text{X} = \text{H}, \text{D}$) $b^1\Sigma^+$ ($v' = 0$) \rightarrow $\text{X}^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
- Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
- The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
- 2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41

Photon states and statistics

- The nature of the $B^{(3)}$ field, G. Hunter 242 (1999) 331
- Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
- Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals, M. Chua and P.A. Tanner 250 (1999) 267

Scattering of waves and particles

- Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
- Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
- Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
- Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
- Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295
- Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
- A semiclassical study of vibrational and rotational transition in $\text{He} + \text{H}_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
- Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279

Collisional and reactive molecular dynamics with non-frictional forces

- Ab initio determination of the $\text{CN}-\text{NH}_3$ capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
- Classical trajectory study on $\text{Ar}-\text{Cl}_2$ van der Waals system using a recent potential, N.H.T. Lemes, J.P. Braga and J.C. Belchior 241 (1999) 305
- Ab initio calculations for $(\text{BrO})_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
- Mechanism of efficient V–V in collisions of $\text{N}_2^+(\nu > 0)$ with N_2 , K. Sohlberg 246 (1999) 307
- A semiclassical study of vibrational and rotational transition in $\text{He} + \text{H}_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1

Reactive molecular dynamics including dissipative processes

- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
- A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $\text{A} + \text{B} \rightarrow \text{B}$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
- Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
- Theory of non-thermal electron transfer, A.I. Ivanov and V.V. Potovoi 247 (1999) 245
- Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195

Intramolecular dynamics

- Vibrational wave packet dynamics in NaK: The $\text{A } ^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
- Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

- Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
- Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
- Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 299
- Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
- Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
- Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
- Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
- Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of HONO₂ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
- Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
- Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249
- Molecular dynamics of many particle systems and condensed phases*
- Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
- Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
- Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
- Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
- The effect of an external electric field on the structure of liquid water using molecular dynamics simulations, D.H. Jung, J.H. Yang and M.S. Jhon 244 (1999) 331
- Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
- On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
- Many-body interactions calculated with the direct reaction field model, F.C. Grozema, R.W.J. Zijlstra and P.Th. van Duijnen 246 (1999) 217
- Nonadiabatic processes in solution: molecular dynamics and surface hopping, P. Cattaneo, M. Persico and A. Tani 246 (1999) 315
- A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
- Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41

- Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
- Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141
- A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
- Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285
- The effect of a cluster on a chemical reaction: a quasiclassical trajectory study, S. Adhikari and G.D. Billing 250 (1999) 295
- Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide, X.-l. Zhu, X.-z. You, D.-r. Zhu and Z.-h. Zhou 250 (1999) 303
- Quasiparticle dynamics (incl. excitons, polarons)*
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder, F. Domínguez-Adame, V.A. Malyshev and A. Rodríguez 244 (1999) 351
- Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons, V.M. Agranovich and A.M. Kamchatnov 245 (1999) 175
- Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
- Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
- Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
- Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191
- Migration and interaction on grids and lattices*
- Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71
- Statistical computational methods (incl. Monte Carlo)*
- Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
- Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
- Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters, P. Chaudhury and S.P. Bhattacharyya 241 (1999) 313
- Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
- Kinetics of the recombination reactions of CCIF with CF_2 and with CCIF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
- Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175

- Influence of hollow site adsorption in a model for the catalytic $\text{CO} + \text{O}_2$ and $\text{CO} + \text{NO}$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299
- Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
- A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
- Dynamics of structures, lattices and macromolecular conformations*
- A dynamic model for linear locally stiff polymers in dilute solutions, R. Szorek 241 (1999) 83
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- Dynamics of linear polymers in dilute solutions, R. Szorek 246 (1999) 335
- Dimensionality effects on the electronic and structural properties of PtS_2 chains, M. Springborg 246 (1999) 347
- Photoinduced intramolecular electron transfer in covalently linked porphyrin–tritycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
- Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
- Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175
- Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243
- Fluctuations and random processes*
- The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
- Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
- Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
- Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
- Non-equilibrium statistical mechanics*
- Stochastic effects on nonadiabatic transitions, P.A. Frantsuzov, S.F. Fischer and A.A. Zharikov 241 (1999) 95
- A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $\text{A} + \text{B} \rightarrow \text{B}$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
- Many-particle treatment of nonuniform reacting systems $\text{A} + \text{B} \rightarrow \text{C}$ and $\text{A} + \text{B} \rightarrow \text{C} + \text{D}$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
- Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141
- Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175

- Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
- Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
- State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221
- Non-equilibrium thermodynamic and hydrodynamic theories*
- State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221
- Equilibrium statistical mechanics and thermodynamics*
- Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
- Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
- Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
- Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273
- The effect of an external electric field on the structure of liquid water using molecular dynamics simulations, D.H. Jung, J.H. Yang and M.S. Jhon 244 (1999) 331
- The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Anisfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
- Effects of surfactants on the aggregation behaviour of thiacyanocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
- Extremum methods for ensembles (energy, entropy, free energy)*
- Analyzing single molecule trajectories on complex energy landscapes using replica correlation functions, J.N. Onuchic, J. Wang and P.G. Wolynes 247 (1999) 175
- Time and space correlation functions*
- Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71

- Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
- A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
- Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Experiment

Magnetic resonances

- Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
- Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
- Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of Fe(*PM-PEA*)₂(NCS)₂, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
- Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
- Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295
- Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ¹³C *T*_{1ρ} measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
- The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
- Superposition model for ¹⁹F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses, B. Bureau, G. Silly, J.Y. Buzaré and J. Emery 249 (1999) 89
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

Molecular spectroscopy

- Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
- Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0⁰-level of the \tilde{A}^1A_u state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
- Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta₂O₅ and Ta in ambient O₂/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
- Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
- Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
- Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
- Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
- Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
- The electronic spectrum of 1, 4, 5, 8-tetraazaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
- Linestrengths of phosphorus monohydride. II. Isotope effect in the PX ($X = H, D$) $b^1\Sigma^+$ ($v' = 0$) $\rightarrow X^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
- Photoinduced intramolecular electron transfer in covalently linked porphyrin–tritycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
- Total fragmentation of $SbCl_3$ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2 , H.T. Liou and K.L. Huang 246 (1999) 391
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1–5$) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
- Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
- Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
- Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163
- The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika 247 (1999) 307
- Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+ , C. Focsa and B. Pinchemel 247 (1999) 395

- Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
- The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
- Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
- Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
- Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
- The electric dipole moment of the $\text{Ar}_2\text{-OCX}$ ($\text{X} = \text{O}, \text{S}$) complexes, D. Consalvo and J. Gripp 249 (1999) 41
- Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde: electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311
- Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321
- microwave*
- The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
- The electric dipole moment of the $\text{Ar}_2\text{-OCX}$ ($\text{X} = \text{O}, \text{S}$) complexes, D. Consalvo and J. Gripp 249 (1999) 41
- infrared*
- Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
- Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
- Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
- Infrared spectrum and structure of $\text{Ni}(\text{CO})_2$. A matrix isolation and DFT study, L. Manceron and M.E. Alikhani 244 (1999) 215
- Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra, P. Blaise, O. Henri-Rousseau and A. Grandjean 244 (1999) 405
- Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
- Density functional study of the Xe_2H_3^+ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
- The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71

- Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
- Structure and vibrational study of a new material $\text{Rb}_{0.78}(\text{NH}_4)_{0.22}\text{H}(\text{SO}_4)_{0.9}(\text{SeO}_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
- A new interpretation of the IR spectrum of $\text{H}(\text{D})\text{Cl}$ complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
- DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $\text{O}(^1\text{D})$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
- The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
- Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowitz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
- The vibrational spectrum of PdCO isolated in solid argon, B. Tremblay and L. Manceron 250 (1999) 187
- Raman*
- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
- Surface-enhanced non-linear Raman scattering at the single-molecule level, K. Kneipp, H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld 247 (1999) 155
- Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
- Structure and vibrational study of a new material $\text{Rb}_{0.78}(\text{NH}_4)_{0.22}\text{H}(\text{SO}_4)_{0.9}(\text{SeO}_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
- Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
- Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
- UV*
- Low symmetry ligand field splittings in optical spectra of pseudotetrahedral $\text{Co}(\text{II})$ complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
- Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
- The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
- Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
- UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
- The iodine $\text{E0}_g^+-\text{B0}_u^+$ and $\text{D0}_u^+-\text{X0}_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179

- Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
- The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
- The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
- Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
- The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
- Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
- visible*
- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
- Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
- Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
- A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
- Linestrengths of phosphorus monohydride. II. Isotope effect in the PX ($X = H, D$) $b^1\Sigma^+$ ($v' = 0$) \rightarrow $X^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
- Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
- Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
- Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
- Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
- Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
- Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
- Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
- Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273

- Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
- Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
- Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191
- Effects of surfactants on the aggregation behaviour of thiacyanocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
- DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61
- Multistep photoinduced proton transfer in crystalline 2-(2',4'-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199
- Photon counting and phase fluorimetry*
- Dual fluorescence of 2-(4'-*N,N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
- 2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41
- Photoelectron and Auger spectroscopy*
- The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
- A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
- Auger electron spectra of CF₃CN, CF₃Cl, CF₂Cl₂ and CFCI₃, Y. Shimizu, K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada 244 (1999) 439
- Site-specific phenomena in Si:2p core-level photoionization of X₃Si(CH₂)_nSi(CH₃)₃ (X = F or Cl, *n* = 0–2) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
- A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
- Fragmentation of the valence electronic states of NF₃⁺ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Secombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335
- Multiphoton ionization*
- A method to obtain meV-collision-energy resolution in scattering studies: application to the H + D₂ → HD(*ν*' = 0, *j*') + D(*θ*_{rel} < 80°) reaction at *E*_{rel} = 1.275 ± 0.011 eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
- ZEKE spectroscopy of aniline–X (X = Ar, Kr, N₂ and CO) van der Waals complex cations, J.-G. Jäckel and H. Jones 247 (1999) 321
- The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237

X-ray spectroscopy

- Local spin moment of LaCoO_3 probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
- The sulphur 2p photoabsorption spectrum of NSF_3 , A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
- Nitrogen and oxygen core excitations in solid NaNO_2 studied by X-ray absorption and resonant photoemission, A.S. Vinogradov, A.B. Preobrajenski, S.L. Molodtsov, S.A. Krasnikov, R. Szargan, A. Knop-Gericke and M. Hävecker 249 (1999) 249

Electron impact spectroscopy

- Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91
- Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
- Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237
- Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
- Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde: electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311

Laser induced fluorescence

- Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
- Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes, T.C. Devore and J.L. Gole 241 (1999) 221
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
- The iodine $\text{E}0_g^+ - \text{B}0_u^+$ and $\text{D}0_u^+ - \text{X}0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
- The ‘approach-induced’ $\text{I}_2(\text{E}0_g^+ \xrightarrow{I_2(X)} \text{D}0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
- $\text{E}0_g^+ \rightarrow \text{A}1_u$ and $\text{E}0_g^+ \rightarrow \text{B}''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

- Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
- Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study, A. Ogrodnik, G. Hartwich, H. Lossau and M.E. Michel-Beyerle 244 (1999) 461
- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2 , H.T. Liou and K.L. Huang 246 (1999) 391
- The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
- Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepiół, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
- Spectroscopy of individual LH2 complexes of *Rhodospseudomonas acidophila*: localized excitations in the B800 band, A.M. van Oijen, M. Ketelaars, J. Köhler, T.J. Aartsma and J. Schmidt 247 (1999) 53
- Non-ergodic behaviour in conformational transitions of single DNA molecules, S. Wennmalm, L. Edman and R. Rigler 247 (1999) 61
- Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
- Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
- Manipulating the biochemical nanoenvironment around single molecules contained within vesicles, D.T. Chiu, C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare 247 (1999) 133
- Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of $TiCl^+$ and TiF^+ , C. Focsa and B. Pinchemel 247 (1999) 395
- Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
- Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH, J. Widengren, B. Terry and R. Rigler 249 (1999) 259
- Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171
- Ultrafast measurements*
- Vibrational wave packet dynamics in NaK: The $A^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
- Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
- Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103
- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

- Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
- Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
- A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
- Ultrafast induced excited state absorption in organically doped xerogels, M. Brunel, B. Campagne, M. Canva, A. Brun, F. Chaput and J.-P. Boilot 246 (1999) 477
- Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333
- Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
- Nonlinear optics and spectroscopy*
- Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects, I. Ledoux, I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey 245 (1999) 1
- Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π -conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
- Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
- The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Anisfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
- Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
- Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
- Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
- Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
- Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121

- Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatourians, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
- The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
- Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
- A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
- Nonlinear optical spectra of C₇₀, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
- In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
- On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
- Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
- Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
- Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
- Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
- Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
- Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
- Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
- Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative, E. Hendrickx, B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian 245 (1999) 407
- Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
- Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
- Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473

- Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
- Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
- Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
- All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
- Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
- Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
- Synchrotron spectroscopies*
- Subthreshold photoionization spectra of CH_3I perturbed by SF_6 , C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
- The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
- Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
- A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217
- Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335
- Coherent optical spectroscopy*
- The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
- The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
- Optical pumping*
- On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
- Multiple resonance spectroscopy*
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141

- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS₂, H.T. Liou and K.L. Huang 246 (1999) 391
- Optoacoustic spectroscopy*
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1-5$) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
- Atomic and molecular beam techniques*
- Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
- A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(\nu' = 0, j') + D(\theta_{rel} < 80^\circ)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1-5$) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
- Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
- Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
- Photodissociation of *o*-dichlorobenzene at 266 nm, R.-S. Zhu, H. Zhang, G.-J. Wang, X.-B. Gu, K.-L. Han, G.-Z. He and N.-Q. Lou 248 (1999) 285
- A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
- Mass spectroscopy*
- A theoretical study of the isomerization pathways for HBrO₂ isomers, S. Guha and J.S. Francisco 247 (1999) 387
- Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
- A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217
- In⁺ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237
- Fragmentation of the valence electronic states of NF₃⁺ studied by threshold photoelectron–photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335
- Radiolysis*
- Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
- Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293

Mössbauer spectroscopy

- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109

X-ray, electron and neutron diffraction

- Excimer luminescence from single crystals and films of a cyano-substituted phenylene-vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
- A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgonne 245 (1999) 365
- Structure and vibrational study of a new material $\text{Rb}_{0.78}(\text{NH}_4)_{0.22}\text{H}(\text{SO}_4)_{0.9}(\text{SeO}_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
- Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23

Neutron scattering (inelastic and quasielastic)

- Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
- Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
- Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387

Small angle X-ray and neutron diffraction

- Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295

Calorimetric methods

- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
- Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
- Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
- Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145

Measurement of macroscopic variables

- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
- Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+} - and Li^{+} -doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
- Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
- Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
- Kinetics of the recombination reactions of CCIF with CF_2 and with CCIF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
- Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
- Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Objects**Bulk systems***Gases*

- Subthreshold photoionization spectra of CH_3I perturbed by SF_6 , C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
- Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0 -level of the \tilde{A}^1A_u state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
- UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
- The iodine $\text{E}0_g^+ - \text{B}0_u^+$ and $\text{D}0_u^+ - \text{X}0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
- The 'approach-induced' $\text{I}_2(\text{E}0_g^+ \xrightarrow{I_2(X)} \text{D}0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
- Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
- Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
- A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
- Kinetics of the recombination reactions of CClF with CF_2 and with CClF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
- Linestrengths of phosphorus monohydride. II. Isotope effect in the PX ($X = H, D$) $b\ ^1\Sigma^+$ ($v' = 0$) $\rightarrow X\ ^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
- Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2 , B. Wang, H. Hou and Y. Gu 247 (1999) 201
- A theoretical study of the isomerization pathways for $HBrO_2$ isomers, S. Guha and J.S. Francisco 247 (1999) 387
- Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
- The sulphur 2p photoabsorption spectrum of NSF_3 , A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
- Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1
- The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
- Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195
- State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221
- The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
- A semiclassical study of vibrational and rotational transition in $He + H_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
- Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243
- Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde: electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311
- Supersonic beams*
- Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
- Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

- The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
- A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
- The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237

Liquids neat

- Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
- Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
- Dual fluorescence of 2-(4'-N,N-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- The effect of an external electric field on the structure of liquid water using molecular dynamics simulations, D.H. Jung, J.H. Yang and M.S. Jhon 244 (1999) 331
- Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
- Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
- A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155

Liquid mixtures and solutions

- Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
- Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351
- Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103
- Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
- Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
- Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
- Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
- Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
- Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
- A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
- Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
- Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
- Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
- Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
- Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
- Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
- Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschik 246 (1999) 115
- Nonadiabatic processes in solution: molecular dynamics and surface hopping, P. Cattaneo, M. Persico and A. Tani 246 (1999) 315
- Dynamics of linear polymers in dilute solutions, R. Szorek 246 (1999) 335
- Photoinduced intramolecular electron transfer in covalently linked porphyrin–tritycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
- A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
- Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
- Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333
- Translational diffusion of transition metal complexes, B.A. Kowert, A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed 247 (1999) 435
- 2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41

- The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
- Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
- Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285
- Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Crystals

- Excimer luminescence from single crystals and films of a cyano-substituted phenylene–vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
- Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161
- Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
- Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of $\text{Fe}(\text{PM-PEA})_2(\text{NCS})_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
- Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
- Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
- Analysis of the linear and non-linear optics of crystals of CHI_3 , S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
- Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortunini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
- Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
- Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
- Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
- Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
- Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
- Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
- Structure and vibrational study of a new material $\text{Rb}_{0.78}(\text{NH}_4)_{0.22}\text{H}(\text{SO}_4)_{0.9}(\text{SeO}_4)_{0.1}$, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G.

- Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
- Multistep photoinduced proton transfer in crystalline 2-(2',4'-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199
- Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals, M. Chua and P.A. Tanner 250 (1999) 267
- neat*
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
- A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
- The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
- mixed*
- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
- Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
- Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
- Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepioł, A. Starukhin, T.Yu. Latychevskaja, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
- Density functional study of the Xe_2H_3^+ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
- Glasses*
- Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
- Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
- Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
- Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
- Superposition model for ^{19}F isotropic chemical shift in ionic fluorides: from basic metal fluorides to transition metal fluoride glasses, B. Bureau, G. Silly, J.Y. Buzaré and J. Emery 249 (1999) 89
- Complex fluids*
- Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
- Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351

-liquid crystals

- Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
- Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
- Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
- Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
- Magnetic-field-induced isotropic-nematic phase transition in porous media, V. Popa-Nita 246 (1999) 247

-microemulsions

- Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333

-micelles

- Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
- Effects of surfactants on the aggregation behaviour of thiocarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47

Polymers

- A dynamic model for linear locally stiff polymers in dilute solutions, R. Szorek 241 (1999) 83
- Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
- Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
- Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
- Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
- The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Anisfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
- Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
- Nonlinear optical properties of polyenectupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
- A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
- In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
- On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

- Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
- Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
- Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
- On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
- Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
- Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
- Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
- All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
- Structure and properties of non-classical polymers. Part XII: A new family of high-spin polycyclic 1-D systems, F. Dietz and N. Tyutyulkov 246 (1999) 255
- Dynamics of linear polymers in dilute solutions, R. Szorek 246 (1999) 335
- Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
- Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
- Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
- Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
- Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
- The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika 247 (1999) 307
- Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
- Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
- Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
- DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61

- Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71
- Semiconductors*
- Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+} - and Li^{+} -doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
- Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
- Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237
- Metals and alloys*
- Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
- Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
- Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
- Thin films*
- Excimer luminescence from single crystals and films of a cyano-substituted phenylene-vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
- Nonlinear optical spectra of C_{70} , F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
- In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
- Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
- Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
- Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191
- Surfaces*
- Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
- Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
- Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by $\text{MgO}(100)$: a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227
- A simple method for calculating the corrugation of metal surfaces, W. Lehnert, E. Leiva, W. Schmickler and J.W. Schultze 247 (1999) 207
- Influence of hollow site adsorption in a model for the catalytic $\text{CO} + \text{O}_2$ and $\text{CO} + \text{NO}$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

- Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ ($X = F$ or Cl , $n = 0-2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
- Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
- Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285

Low-dimensional materials

- Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
- Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
- DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61
- Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71

Dielectrics

- Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351
- Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
- Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

Plasmas

- Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275

Biological systems

- Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences, E.A. Armelin, C. Alemán, P.M. Donate and S.E. Galembeck 241 (1999) 167
- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- Dispersive charge separation and conformational cooling of $P^+H_A^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study, A. Ogrodnik, G. Hartwich, H. Lossau and M.E. Michel-Beyerle 244 (1999) 461

- Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatourians, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
- The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
- Spectroscopy of individual LH2 complexes of *Rhodopseudomonas acidophila*: localized excitations in the B800 band, A.M. van Oijen, M. Ketelaars, J. Köhler, T.J. Aartsma and J. Schmidt 247 (1999) 53
- Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
- Manipulating the biochemical nanoenvironment around single molecules contained within vesicles, D.T. Chiu, C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare 247 (1999) 133

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)

- A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
- Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
- A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
- Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
- Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
- Ab initio study of the addition of atomic carbon with water, D.-Y. Hwang, A.M. Mebel and B.-C. Wang 244 (1999) 143
- A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
- Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
- Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37

- Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
- Photoinduced intramolecular electron transfer in covalently linked porphyrin–tritycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
- Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
- The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
- Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
- Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepiół, A. Starukhin, T.Yu. Latychevskaya, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
- Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
- Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
- Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
- Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
- Manipulating the biochemical nanoenvironment around single molecules contained within vesicles, D.T. Chiu, C.F. Wilson, A. Karlsson, A. Danielsson, A. Lundqvist, A. Strömberg, F. Ryttsén, M. Davidson, S. Nordholm, O. Orwar and R.N. Zare 247 (1999) 133
- Surface-enhanced non-linear Raman scattering at the single-molecule level, K. Kneipp, H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld 247 (1999) 155
- Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163
- A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method, F.E. Jorge and P.A. Fantin 249 (1999) 105

Molecules (neutral and ionic)

- Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
- A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[\text{Ru}(\eta^2\text{-H}_2)(\text{C}_5\text{H}_5)(\text{H}_2\text{PCH}_2\text{PH}_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
- Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes, T.C. Devore and J.L. Gole 241 (1999) 221
- Subthreshold photoionization spectra of CH_3I perturbed by SF_6 , C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
- Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S , K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1
- Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81

- Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91
- Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method, T. Nakajima and H. Nakatsuji 242 (1999) 177
- Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
- Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
- The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Dual fluorescence of 2-(4'-N,N-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
- An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F , Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
- Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
- Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+ , P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
- Reduction of uranyl by hydrogen: an ab initio study, V. Vallet, B. Schimmelpfennig, L. Maron, C. Teichteil, T. Leininger, O. Gropen, I. Grenthe and U. Wahlgren 244 (1999) 185
- Investigation of the low-lying excited states of PuO_2^{2+} , L. Maron, T. Leininger, B. Schimmelpfennig, V. Vallet, J.-L. Heully, C. Teichteil, O. Gropen and U. Wahlgren 244 (1999) 195
- Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
- Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 299
- Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
- Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder, F. Domínguez-Adame, V.A. Malyshev and A. Rodríguez 244 (1999) 351
- Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
- Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
- Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

- Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
- A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
- A comparative study of MP2, B3LYP, RHF and SCC-DFTB force fields in predicting the vibrational spectra of N-acetyl-L-alanine-N'-methyl amide: VA and VCD spectra, H.G. Bohr, K.J. Jalkanen, M. Elstner, K. Frimand and S. Suhai 246 (1999) 13
- The excitation energies of 1,1'-bicyclohexylidene and 1,1':4',1''-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches, R.W.A. Havenith, H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens 246 (1999) 49
- Thomas–Reiche–Kuhn populations in alkanes, P. Lazzeretti, M.C. Caputo and M.B. Ferraro 246 (1999) 75
- Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF₃, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
- Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
- Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
- Mechanism of efficient V–V in collisions of N₂⁺ ($\nu > 0$) with N₂, K. Sohlberg 246 (1999) 307
- Dimensionality effects on the electronic and structural properties of PtS₂ chains, M. Springborg 246 (1999) 347
- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS₂, H.T. Liou and K.L. Huang 246 (1999) 391
- Ultrafast induced excited state absorption in organically doped xerogels, M. Brunel, B. Campagne, M. Canva, A. Brun, F. Chaput and J.-P. Boilot 246 (1999) 477
- Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal, Z. Su, W. Liang and G. Chen 247 (1999) 185
- Theory of non-thermal electron transfer, A.I. Ivanov and V.V. Potovoi 247 (1999) 245
- The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika 247 (1999) 307
- Kurtosis of level distributions in vibrational spectra. Coupled Morse oscillators, M. Bancewicz 247 (1999) 341
- Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
- Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br), C.-L. Lin, M.-D. Su and S.-Y. Chu 249 (1999) 145
- Theoretical study of the electron-spin magnetic moments (*g*-factors) of F₂[−] and Cl₂[−] (X₂[−]), as well as MX₂ and M₂X₂⁺ compounds with M = Li, Na, P.J. Bruna and F. Grein 249 (1999) 169
- Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
- Nitrogen and oxygen core excitations in solid NaNO₂ studied by X-ray absorption and resonant photoemission, A.S. Vinogradov, A.B. Preobrajenski, S.L. Molodtsov, S.A. Krasnikov, R. Szargan, A. Knop-Gericke and M. Hävecker 249 (1999) 249

- Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23
- Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brożek and H. Abramczyk 250 (1999) 35
- A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
- Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowitz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
- diatomic*
- Vibrational wave packet dynamics in NaK: The A $^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
- On the lowest-lying states and electronic structure of the ScN $^+$ and ScP $^+$ isovalent ions, S. Elkhatabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
- The iodine $E0_g^+ - B0_u^+$ and $D0_u^+ - X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
- The 'approach-induced' $I_2(E0_g^+ \xrightarrow{I_2(X)} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
- Potential energy curves of 58 states of Li $_2^+$, S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
- Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
- Theoretical study of the electronic structure of KLi and comparison with experiments, S. Rousseau, A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski 247 (1999) 193
- The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
- Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of TiCl $^+$ and TiF $^+$, C. Focsa and B. Pinchemel 247 (1999) 395
- Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1
- A semiclassical study of vibrational and rotational transition in He + H $_2$ at suprathermal energies, K. Sakimoto 249 (1999) 1
- The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237
- small polyatomics*
- Ab initio determination of the CN–NH $_3$ capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
- Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213

- The H₃O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
- A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
- Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0⁰-level of the \tilde{A}^1A_u state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
- Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta₂O₅ and Ta in ambient O₂/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
- Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Calculation of the differential photoionization cross-section of PH₃, V. Carravetta and I. Cacelli 243 (1999) 77
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
- Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree–Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
- Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
- Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
- Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H₃⁺, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
- Auger electron spectra of CF₃CN, CF₃Cl, CF₂Cl₂ and CFCF₃, Y. Shimizu, K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada 244 (1999) 439
- Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37
- Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
- Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF₃, G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
- Total fragmentation of SbCl₃ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1–5$) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
- Density functional study of the Xe₂H₃⁺ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
- Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225

- Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
- The sulphur 2p photoabsorption spectrum of NSF_3 , A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
- The ab-initio calculation of the gas phase ion mobility of Na^+ in N_2 , A.E. Thompson, R.G.A.R. MacLagan and P.W. Harland 248 (1999) 127
- Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
- Site-specific phenomena in Si:2p core-level photoionization of $\text{X}_3\text{Si}(\text{CH}_2)_n\text{Si}(\text{CH}_3)_3$ ($\text{X} = \text{F}$ or Cl , $n = 0-2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
- The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
- Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
- Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
- Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of HONO_2 in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
- The vibrational spectrum of PdCO isolated in solid argon, B. Tremblay and L. Manceron 250 (1999) 187
- Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde: electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311
- Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron-photoion coincidence spectroscopy, D.P. Seecombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335
- aromatics*
- The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
- UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
- Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
- Excited charge transfer states in donor-acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
- Novel unsymmetrically substituted push-pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
- Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldehyde, M. Forés and S. Scheiner 246 (1999) 65
- The electronic spectrum of 1, 4, 5, 8-tetraazaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
- A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463

- Imaging and spectroscopy of terrylene molecules isolated in vapor-deposited *n*-alkane matrices, J. Sepiol, A. Starukhin, T.Yu. Latychevskaia, J. Jasny, A. Renn and U.P. Wild 247 (1999) 35
- Are the spectral trails of single molecules consistent with the standard two-level system model of glasses at low temperatures?, A.-M. Boiron, Ph. Tamarat, B. Lounis, R. Brown and M. Orrit 247 (1999) 119
- Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375
- Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He 248 (1999) 137
- Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
- Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
- A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers, Y. Shimoi and B.A. Friedman 250 (1999) 13
- Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
- A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217
- other large*
- Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
- Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π -conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
- Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
- Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative, E. Hendrickx, B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian 245 (1999) 407
- Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschik 246 (1999) 115
- polymeric and biological*
- Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
- On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

- Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
- Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
- Molecular aggregates*
- Infrared spectrum and structure of $\text{Ni}(\text{CO})_2$. A matrix isolation and DFT study, L. Manceron and M.E. Alikhani 244 (1999) 215
- Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
- Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
- Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
- The electric dipole moment of the $\text{Ar}_2\text{-OCX}$ ($\text{X} = \text{O}, \text{S}$) complexes, D. Consalvo and J. Gripp 249 (1999) 41
- Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191
- dimers*
- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
- Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
- Effects of surfactants on the aggregation behaviour of thiocarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
- Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249
- van der Waals molecules*
- Classical trajectory study on $\text{Ar}-\text{Cl}_2$ van der Waals system using a recent potential, N.H.T. Lemes, J.P. Braga and J.C. Belchior 241 (1999) 305
- Ab initio calculations for $(\text{BrO})_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
- Application of the vibrational self-consistent field and correlation techniques to the $\text{SH}/\text{D}(\tilde{\text{A}}) \cdots \text{Rg}$ ($\text{Rg} = \text{Ar}, \text{Kr}$) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
- ZEKE spectroscopy of aniline– X ($\text{X} = \text{Ar}, \text{Kr}, \text{N}_2$ and CO) van der Waals complexations, J.-G. Jäckel and H. Jones 247 (1999) 321
- The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
- The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113

-clusters

- Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
- Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters, P. Chaudhury and S.P. Bhattacharyya 241 (1999) 313
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
- Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161
- Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
- Many-body interactions calculated with the direct reaction field model, F.C. Grozema, R.W.J. Zijlstra and P.Th. van Duijnen 246 (1999) 217
- Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole, C. Suzuki, J. Kawai, H. Adachi and T. Mukoyama 247 (1999) 453
- The electric dipole moment of the $\text{Ar}_2\text{--OCX}$ ($\text{X} = \text{O}, \text{S}$) complexes, D. Consalvo and J. Gripp 249 (1999) 41
- Theoretical studies on the electronic spectrum of linear C_6 , M. Hanrath, S.D. Peyerimhoff and F. Grein 249 (1999) 121
- Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
- A new intermolecular polarizable potential for *cis*-formic acid. Introduction of many-body interactions in condensed phases, J.M. Hermida Ramón and M.A. Ríos 250 (1999) 155
- The effect of a cluster on a chemical reaction: a quasiclassical trajectory study, S. Adhikari and G.D. Billing 250 (1999) 295
- Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide, X.-l. Zhu, X.-z. You, D.-r. Zhu and Z.-h. Zhou 250 (1999) 303

-complexes

- Local spin moment of LaCoO_3 probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17
- RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $\text{CbFe}(\text{CO})_3$, M. Jaworska 242 (1999) 11
- Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
- Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra, P. Blaise, O. Henri-Rousseau and A. Grandjean 244 (1999) 405
- Analysis of the linear and non-linear optics of crystals of CHI_3 , S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
- A theoretical study of the isomerization pathways for HBrO_2 isomers, S. Guha and J.S. Francisco 247 (1999) 387
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71

- Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
- The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
- In⁺ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237
- Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321
- Free radicals (incl. hydronium and muonium)*
- The thiyl peroxy radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
- Kinetics of the recombination reactions of CCIF with CF₂ and with CCIF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
- Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
- Theoretical study of the electron-spin magnetic moments (*g*-factors) of F₂[−] and Cl₂[−] (X₂[−]), as well as MX₂ and M₂X₂⁺ compounds with M = Li, Na, P.J. Bruna and F. Grein 249 (1999) 169
- Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
- Quasiparticles (incl. excitons)*
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
- Defects and impurities*
- Electro- and photoluminescence of the Tm³⁺ ion in Tm³⁺- and Li⁺-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
- Ions and charge carriers*
- Theoretical study of the structure and NMR properties of μ -hydrido-bridged carbocations and carbocations, V. Galasso 241 (1999) 247
- Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
- Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
- Inelastic neutron scattering study of the proton dynamics in HNO₃ graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
- Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

- Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
- Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
- ZEKE spectroscopy of aniline–X (X = Ar, Kr, N₂ and CO) van der Waals complex cations, J.-G. Jäckel and H. Jones 247 (1999) 321
- Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
- Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71
- Supramolecular assemblies (incl. nanoparticles and nanostructures)*
- Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
- The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Anisfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
- Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
- Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295
- Liquid–liquid and liquid–solid interfaces*
- Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
- Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
- Biological assemblies, cells and organelles*
- Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchourians, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
- Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
- Proteins*
- Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
- Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141

- Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163
- Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH, J. Widengren, B. Terry and R. Rigler 249 (1999) 259
- Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171
- Nucleic acids*
- How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
- Non-ergodic behaviour in conformational transitions of single DNA molecules, S. Wennmalm, L. Edman and R. Rigler 247 (1999) 61

Phenomena

Molecular structure

- Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
- Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
- Computational studies in aqueous and chloroform solutions of complex organic solutes: distinctive effects of the solvent on solutes with small chemical differences, E.A. Armelin, C. Alemán, P.M. Donate and S.E. Galembeck 241 (1999) 167
- Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
- On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhatabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
- RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $\text{CbFe}(\text{CO})_3$, M. Jaworska 242 (1999) 11
- A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
- A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
- How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
- Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
- $\text{E}0_g^+ \rightarrow \text{A}1_u$ and $\text{E}0_g^+ \rightarrow \text{B}''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

- Quantum chemical potential energy surfaces for HXeCl, M. Johansson, M. Hotokka, M. Pettersson and M. Räsänen 244 (1999) 25
- Application of the vibrational self-consistent field and correlation techniques to the SH/D(\tilde{A}) \cdots Rg (Rg = Ar, Kr) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
- Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ^{13}C $T_{1\rho}$ measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
- Density functional study of the Xe_2H_3^+ cation, J. Lundell, S. Berski and Z. Latajka 247 (1999) 215
- Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225
- Theoretical study of the CH_2Br , CHBr_2 and CBr_3 radicals, J. Moc 247 (1999) 365
- A theoretical study of the isomerization pathways for HBrO_2 isomers, S. Guha and J.S. Francisco 247 (1999) 387
- The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N–H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt 248 (1999) 17
- Unimolecular decomposition of the isomers of $[\text{HNO}_2]^+$ and $[\text{HNO}_2]^-$ systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
- Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
- The electric dipole moment of the $\text{Ar}_2\text{--OCX}$ (X = O, S) complexes, D. Consalvo and J. Gripp 249 (1999) 41
- A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
- The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113
- The electronic states of propyne studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, C.C. Ballard and I.C. Walker 249 (1999) 129
- Theoretical studies of dissociation pathways on the ground state potential energy surface for HXGeO (X = H, F, Cl, and Br), C.-L. Lin, M.-D. Su and S.-Y. Chu 249 (1999) 145
- The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
- Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273

Vibrations and rotations of molecules

- Vibrational wave packet dynamics in NaK: The $\text{A } ^1\Sigma^+$ state, L.M. Andersson, H.O. Karlsson, O. Goscinski, L.-E. Berg, M. Beutter and T. Hansson 241 (1999) 43
- A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[\text{Ru}(\eta^2\text{-H}_2)(\text{C}_5\text{H}_5)(\text{H}_2\text{PCH}_2\text{PH}_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
- On the lowest-lying states and electronic structure of the ScN^+ and ScP^+ isovalent ions, S. Elkhatabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
- Classical trajectory study on Ar– Cl_2 van der Waals system using a recent potential, N.H.T. Lemes, J.P. Braga and J.C. Belchior 241 (1999) 305

- A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
- Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0⁰-level of the \tilde{A}^1A_u state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
- The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295
- Application of the vibrational self-consistent field and correlation techniques to the SH/D(\tilde{A}) \cdots Rg (Rg = Ar, Kr) van der Waals complexes, D.A. Firsov, A.A. Granovsky and A.V. Nemukhin 244 (1999) 67
- Effect of deuteration on the fluorescence excitation spectrum of tropolone: a theoretical study, J.J. Paz, M. Moreno and J.M. Lluch 246 (1999) 103
- A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
- Rigidity of the backbone for poly(bis(4-butoxycarbonylphenyl))carbodiimide and poly(bis(4-butylphenyl))carbodiimide studied by solid state ¹³C *T*_{1ρ} measurements, A.R. Lim, J.H. Kim and B.M. Novak 246 (1999) 373
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the *nv*₃ (*n* = 1–5) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433
- Algebraic method for determining the potential energy surface for nonlinear triatomic molecules, Y. Zheng and S. Ding 247 (1999) 225
- Kurtosis of level distributions in vibrational spectra. Coupled Morse oscillators, M. Bancewicz 247 (1999) 341
- Theoretical study of the CH₂Br, CHBr₂ and CBr₃ radicals, J. Moc 247 (1999) 365
- Cavity ringdown spectroscopy search for transition metal dimers, D. Kraus, R.J. Saykally and V.E. Bondybey 247 (1999) 431
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71
- Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
- Unimolecular decomposition of the isomers of [HNO₂]⁺ and [HNO₂][–] systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147
- Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: *nπ*^{*} phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
- The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
- A new interpretation of the IR spectrum of H(D)Cl complexed with dimethyl ether from a supersonic jet-FTIR experiment, P. Asselin, P. Soulard, M.E. Alikhani and J.P. Perchard 249 (1999) 73
- Alignment determination of symmetric top molecule using rotationally resolved LIF, S.-L. Cong, K.-L. Han and N.-Q. Lou 249 (1999) 183
- The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
- Vibrational dynamics in liquids and frozen matrices. Concentration and solvent effects in phenylacetylene by low temperature Raman spectroscopy, B. Brožek and H. Abramczyk 250 (1999) 35

- Theoretical infrared spectrum and revised assignment for *para*-nitrophenol. Density functional theory studies, A.J. Abkowitz-Bieńko, Z. Latajka, D.C. Bieńko and D. Michalska 250 (1999) 123
- Is there a correlation between phase transitions of phenylacetylene in liquids and frozen matrices and vibrational dynamics?, H. Abramczyk and B. Brożek 250 (1999) 145
- The vibrational spectrum of PdCO isolated in solid argon, B. Tremblay and L. Manceron 250 (1999) 187
- Electronic structure and states*
- Local spin moment of LaCoO₃ probed by a core hole, C. Suzuki, J. Kawai, J.-y. Tanizawa, H. Adachi, S. Kawasaki, M. Takano and T. Mukoyama 241 (1999) 17
- Low symmetry ligand field splittings in optical spectra of pseudotetrahedral Co(II) complexes with halogenide and chalcogenide ligands, J.N. Nover and H.-H. Schmidtke 241 (1999) 179
- Energetics, molecular electronic structure, and spectroscopy of forming Group IIA dihalide complexes, T.C. Devore and J.L. Gole 241 (1999) 221
- On the lowest-lying states and electronic structure of the ScN⁺ and ScP⁺ isovalent ions, S. Elkhatabi, A. Daoudi, J.P. Flament and G. Berthier 241 (1999) 257
- The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
- The H₃O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
- RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, CbFe(CO)₃, M. Jaworska 242 (1999) 11
- Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC-CI (configuration interaction) method, T. Nakajima and H. Nakatsuji 242 (1999) 177
- A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
- Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301
- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of triorganophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
- An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li₂F, Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
- Orbital imaging and assessment of different orbital models for the valence shell of methanol. Comparison of electron momentum spectroscopy measurements with near-Hartree-Fock limit, MRSD-CI, localized valence bond and density functional theory, J. Rolke, Y. Zheng, C.E. Brion, Z. Shi, S. Wolfe and E.R. Davidson 244 (1999) 1
- Quantum chemical potential energy surfaces for HXeCl, M. Johansson, M. Hotokka, M. Pettersson and M. Räsänen 244 (1999) 25
- Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
- Ab initio study of the addition of atomic carbon with water, D.-Y. Hwang, A.M. Mebel and B.-C. Wang 244 (1999) 143

- The thiyl peroxy radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
- Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
- Auger electron spectra of CF₃CN, CF₃Cl, CF₂Cl₂ and CFCI₃, Y. Shimizu, K. Ueda, H. Chiba, M. Okunishi, K. Ohmori, Y. Sato, I.H. Suzuki, T. Ibuki and K. Okada 244 (1999) 439
- Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
- Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
- Nonlinear optical spectra of C₇₀, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
- All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
- Unusual distributed charge models of water's electric potential, S. Tanizaki, J. Mavri, H. Partridge and P.C. Jordan 246 (1999) 37
- The excitation energies of 1,1'-bicyclohexylidene and 1,1':4',1''-tercyclohexylidene. A comparison of multi-reference configuration interaction and perturbation theory approaches, R.W.A. Havenith, H.J.J. van Dam, J.H. van Lenthe and L.W. Jenneskens 246 (1999) 49
- Potential energy curves of 58 states of Li₂⁺, S. Magnier, S. Rousseau, A.R. Allouche, G. Hadinger and M. Aubert-Frécon 246 (1999) 57
- Calculation of temporary anion states using density functional theory, A.Z. Szarka, L.A. Curtiss and J.R. Miller 246 (1999) 147
- The electronic spectrum of 1, 4, 5, 8-tetraazanaphthalene, J.K. Hurst, P. Wormell, E. Krausz and A.R. Lacey 246 (1999) 229
- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS₂, H.T. Liou and K.L. Huang 246 (1999) 391
- Photoconductivity of polydiacetylene chains in polymer and monomer single crystals, S. Möller and G. Weiser 246 (1999) 483
- Ground-state reduced density matrices, effective Hamiltonians, and optical properties of Schiff bases of retinal, Z. Su, W. Liang and G. Chen 247 (1999) 185
- Theoretical study of the electronic structure of KLi and comparison with experiments, S. Rousseau, A.R. Allouche, M. Aubert-Frécon, S. Magnier, P. Kowalczyk and W. Jastrzebski 247 (1999) 193
- A simple method for calculating the corrugation of metal surfaces, W. Lehnert, E. Leiva, W. Schmickler and J.W. Schultze 247 (1999) 207
- The lowest triplet and singlet electronic states of the molecule SO, A.C. Borin and F.R. Ornellas 247 (1999) 351
- Dispersed laser-induced fluorescence of molecular ions. Identification of new low-lying electronic states of TiCl⁺ and TiF⁺, C. Focsa and B. Pinchemel 247 (1999) 395
- The sulphur 2p photoabsorption spectrum of NSF₃, A. Jürgensen, N. Kosugi and R.G. Cavell 247 (1999) 445
- Electronic structures of 3d transition metal (Ti–Cu) oxides probed by a core hole, C. Suzuki, J. Kawai, H. Adachi and T. Mukoyama 247 (1999) 453
- Unimolecular decomposition of the isomers of [HNO₂]⁺ and [HNO₂][−] systems: a DFT study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff 248 (1999) 147

- Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
- Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
- Internal heavy-atom effect on spin–orbit and vibronic–spin–orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich 248 (1999) 233
- Site-specific phenomena in Si:2p core-level photoionization of $X_3Si(CH_2)_nSi(CH_3)_3$ ($X = F$ or Cl , $n = 0–2$) condensed on a Si(111) surface, S. Nagaoka, K. Mase, M. Nagasono, S. Tanaka, T. Urisu, J. Ohshita and U. Nagashima 249 (1999) 15
- A universal basis set for cations and anions generated with the generator coordinate Hartree–Fock method, F.E. Jorge and P.A. Fantin 249 (1999) 105
- Theoretical studies on the electronic spectrum of linear C_6 , M. Hanrath, S.D. Peyerimhoff and F. Grein 249 (1999) 121
- Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
- A tight-binding model of phenylene molecules with *meta*-connections – implications for phenylacetylene dendrimers, Y. Shimoi and B.A. Friedman 250 (1999) 13
- DC photoconduction action spectra in thin film polymer crystals of 3 and 4BCMU polydiacetylene, K.J. Donovan, K. Scott, S. Spagnoli and J. Berrehar 250 (1999) 61
- Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279
- Effect of intramolecular hydrogen bonding on the empty level structure of gas-phase salicylaldehyde: electron affinities and anion yield upon electron impact, A. Modelli, F. Scagnolari and G. Distefano 250 (1999) 311
- Electric and magnetic properties*
- Calculation of nuclear magnetic shielding using a parametric gauge for the vector potential, M.B. Ferraro, M.C. Caputo and M.E. Zitto 241 (1999) 1
- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
- Theoretical study of the structure and NMR properties of μ -hydrido-bridged carbocations and carbocations, V. Galasso 241 (1999) 247
- The nature of the $B^{(3)}$ field, G. Hunter 242 (1999) 331
- Reverting the effect of magnetic couplers in bridged di- and polyradicals, M. Baumgarten and S. Karabunarliev 244 (1999) 35
- Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by MgO(100): a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227
- Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
- The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
- The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201

- Spin density in a triazole-nitronyl-nitroxide radical presenting linear ferromagnetic interactions: role of hydrogen bonding, B. Gillon, M.A. Aebersold, O. Kahn, L. Pardi and B. Delley 250 (1999) 23
- Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279
- Spin splittings*
- Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of $\text{Fe}(\text{PM-PEA})_2(\text{NCS})_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
- Using triazine as coupling unit for intramolecular ferromagnetic coupling of multiradicals, J. Zhang, R. Wang, L. Wang and M. Baumgarten 246 (1999) 209
- Theoretical study of the electron-spin magnetic moments (g -factors) of F_2^- and Cl_2^- (X_2^-), as well as MX_2 and M_2X_2^+ compounds with $\text{M} = \text{Li}, \text{Na}$, P.J. Bruna and F. Grein 249 (1999) 169
- Optical activity*
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière 248 (1999) 105
- Molecular interactions*
- Ab initio determination of the CN-NH_3 capture potential energy surface, A. Faure, C. Rist and P. Valiron 241 (1999) 29
- Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
- Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
- Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
- UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Hydration of cytosine using combined discrete/SCRF models: influence of the number of discrete solvent molecules, C. Alemán 244 (1999) 151
- Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
- A molecular model of p -terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
- Translational diffusion of transition metal complexes, B.A. Kowert, A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed 247 (1999) 435
- Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll 248 (1999) 1

- The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej 248 (1999) 27
- The aniline–argon van der Waals complex: ab initio second-order Møller–Plesset study of the potential energy surface in the ground electronic state, I. López-Tocón, J.C. Otero, M. Becucci, G. Pietraperzia and E. Castellucci 249 (1999) 113
- Thermally induced rearrangement of hydrogen-bonded helices in solid 4-isopropylphenol as studied by calorimetric, proton NMR, dielectric and near IR spectroscopic methods, G. Wójcik, M.M. Szostak, T. Misiaszek, Z. Pająk, J. Wąsicki, H.A. Kołodziej and P. Freundlich 249 (1999) 201
- The peroxy radical ammonia complex. A matrix isolation study, A. Engdahl and B. Nelander 249 (1999) 215
- Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
- In⁺ cation interactions with some organics: ab initio molecular orbital and density functional theory, S. Arulmozhiraja, T. Fujii and H. Tokiwa 250 (1999) 237
- Spectral bandshapes and intensities*
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
- Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
- Absorption line shape of Frenkel excitons in one-dimensional random chains with pairwise correlated Gaussian disorder, F. Domínguez-Adame, V.A. Malyshev and A. Rodríguez 244 (1999) 351
- Theory of weak damped H-bonds: relative influence of relaxation mechanisms on IR spectra, P. Blaise, O. Henri-Rousseau and A. Grandjean 244 (1999) 405
- Probing the spectral dynamics of single terrylenediimide molecules in low-temperature solids, S. Mais, T. Basché, G. Müller, K. Müllen and C. Bräuchle 247 (1999) 41
- Collision-induced light scattering by isotropic molecules: the role of the quadrupole polarizability, S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham 247 (1999) 407
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau 248 (1999) 53
- IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II. General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau 248 (1999) 71
- Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau 248 (1999) 91
- Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
- Frenkel excitons in disordered chromophore complexes: Theory of optical absorption of Langmuir–Blodgett layers including pheophorbide-a, R. Scheller and V. May 249 (1999) 191

- Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
- A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
- Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249
- Coupling of electronic and nuclear motion*
- Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
- Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
- Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
- Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375
- Energy transfer processes*
- The ‘approach-induced’ $\text{I}_2(\text{E}0_g^+ \xrightarrow{I_2(X)} \text{D}0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
- Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
- $\text{E}0_g^+ \rightarrow \text{A}1_u$ and $\text{E}0_g^+ \rightarrow \text{B}''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
- Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
- Many-particle treatment of nonuniform reacting systems $\text{A} + \text{B} \rightarrow \text{C}$ and $\text{A} + \text{B} \rightarrow \text{C} + \text{D}$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
- Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
- Localization length and intraband scattering of excitons in linear aggregates, J.P. Lemaistre 246 (1999) 283
- Non-ergodic behaviour in conformational transitions of single DNA molecules, S. Wennmalm, L. Edman and R. Rigler 247 (1999) 61
- Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
- Temporal fluctuations of fluorescence resonance energy transfer between two dyes conjugated to a single protein, T. Ha, A.Y. Ting, J. Liang, A.A. Deniz, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 107
- Fluorescence resonance energy transfer between single fluorophores attached to a coiled-coil protein in aqueous solution, Y. Ishii, T. Yoshida, T. Funatsu, T. Wazawa and T. Yanagida 247 (1999) 163

- Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
- Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195
- A semiclassical study of vibrational and rotational transition in $\text{He} + \text{H}_2$ at suprathreshold energies, K. Sakimoto 249 (1999) 1
- Energy transfer and migration in highly forbidden transitions of lanthanide ion doped crystals, M. Chua and P.A. Tanner 250 (1999) 267

Molecular photophysical processes

- Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
- Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
- Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
- Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
- Absolute oscillator strengths for hydrogen sulphide: I. Photoabsorption in the valence-shell and the S 2p and 2s inner-shell regions (4–260 eV), R. Feng, G. Cooper and C.E. Brion 244 (1999) 127
- Reverse intersystem crossing from a triplet state of rose bengal populated by sequential 532- + 1064-nm laser excitation, J.M. Larkin, W.R. Donaldson, T.H. Foster and R.S. Knox 244 (1999) 319
- Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
- Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
- Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
- Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
- Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
- Linestrengths of phosphorus monohydride. II. Isotope effect in the PX ($\text{X} = \text{H}, \text{D}$) $b^1\Sigma^+$ ($v' = 0$) \rightarrow $\text{X}^3\Sigma^-$ ($v'' = 0$) emission, G. Di Stefano, M. Lenzi and A. Ricci 246 (1999) 267
- Photoinduced intramolecular electron transfer in covalently linked porphyrin–tritycene–(bis)quinone diads and triads, O. Korth, A. Wiehe, H. Kurreck and B. Röder 246 (1999) 363
- Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1

- Terrylene in *p*-terphenyl: single-molecule experiments at room temperature, F. Kulzer, F. Koberling, Th. Christ, A. Mews and Th. Basché 247 (1999) 23
- Spin conversion and electric field effect on photoluminescence in amorphous molecular semiconductors doped with ionic dyes, N.A. Davidenko and A.A. Ishchenko 247 (1999) 237
- 2-Naphthol–aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41
- Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
- Absolute oscillator strengths for hydrogen sulphide. II. Ionic photofragmentation and photoionization in the valence shell continuum regions (10–60 eV), R. Feng, G. Cooper and C.E. Brion 249 (1999) 223
- Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Photochemistry

- Photodissociation of 1-bromo-2-chloroethane at 266 nm, G.-J. Wang, H. Zhang, R.-S. Zhu, K.-L. Han, G.-Z. He and N.-Q. Lou 241 (1999) 213
- Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta₂O₅ and Ta in ambient O₂/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
- Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- Near-infrared-induced proton transfer studied by electron spin resonance, M. Komorowska, J. Lamperski and L. Komorowski 244 (1999) 101
- A method to obtain meV-collision-energy resolution in scattering studies: application to the $\text{H} + \text{D}_2 \rightarrow \text{HD}(\nu' = 0, j') + \text{D}(\theta_{\text{rel}} < 80^\circ)$ reaction at $E_{\text{rel}} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
- Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
- Kinetics of the recombination reactions of CCIF with CF₂ and with CCIF, N.B. Caballero, E. Castellano, C.J. Cobos, A.E. Croce and G.A. Pino 246 (1999) 157
- Nonadiabatic processes in solution: molecular dynamics and surface hopping, P. Cattaneo, M. Persico and A. Tani 246 (1999) 315
- Total fragmentation of SbCl₃ by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
- A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
- Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261

- Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
- Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau 248 (1999) 273
- Photodissociation of *o*-dichlorobenzene at 266 nm, R.-S. Zhu, H. Zhang, G.-J. Wang, X.-B. Gu, K.-L. Han, G.-Z. He and N.-Q. Lou 248 (1999) 285
- The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237
- Effects of surfactants on the aggregation behaviour of thiacyanocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
- Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of HONO₂ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
- Multistep photoinduced proton transfer in crystalline 2-(2',4'-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199
- Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
- A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217
- Intramolecular dynamics*
- Competitive shell-filling in protonated helium clusters, F.A. Gianturco and F. Filippone 241 (1999) 203
- The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso 248 (1999) 247
- Anharmonic effects on theoretical IR line shapes of H-bonds, O. Henri-Rousseau and P. Blaise 250 (1999) 249
- radiationless transitions*
- The 'approach-induced' $I_2(E0_g^+ \xleftrightarrow{I_2(X)} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
- vibrational energy redistribution (incl. vibrational dissociation)*
- Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221
- Picosecond laser control of bond-selective dissociation and clockwise and anticlockwise rotation of the dissociation fragments: applications to a three-dimensional model of HONO₂ in the ground electronic state, M. Oppel and G.K. Paramonov 250 (1999) 131
- protein motion*
- The fluctuating enzyme: a single molecule approach, L. Edman, Z. Földes-Papp, S. Wennmalm and R. Rigler 247 (1999) 11
- Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141

- Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron-photoion coincidence spectroscopy, D.P. Seccombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335
- Luminescence spectra, yields and lifetimes*
- Excimer luminescence from single crystals and films of a cyano-substituted phenylene-vinylene model compound, P.F. van Hutten, V.V. Krasnikov, H.-J. Brouwer and G. Hadziioannou 241 (1999) 139
- Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+} - and Li^+ -doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
- The iodine $\text{EO}_g^+ - \text{BO}_u^+$ and $\text{DO}_u^+ - \text{XO}_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- Fluorescence spectroscopic behaviour of neat and blended conjugated polymer thin films, W. Holzer, M. Pichlmaier, A. Penzkofer, D.D.C. Bradley and W.J. Blau 246 (1999) 445
- Single-molecule fluorescence near a metal layer, J. Enderlein 247 (1999) 1
- Integral, unified and Markovian theories of biexcitonic photoionization, E.B. Krissinel, O.A. Igoshin and A.I. Burshtein 247 (1999) 261
- Contact and remote ion radicals formation and recombination, A.I. Burshtein 247 (1999) 275
- The origin of thermally stimulated luminescence in neat and molecularly doped charge transport polymer systems, A. Kadashchuk, D.S. Weiss, P.M. Borsenberger, S. Nešpùrek, N. Ostapenko and V. Zaika 247 (1999) 307
- 2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra 248 (1999) 41
- Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig 248 (1999) 263
- Delayed luminescence of the ladder-type methyl-poly(*para*-phenylene), Yu.V. Romanovskii, A. Gerhard, B. Schweitzer, R.I. Personov and H. Bässler 249 (1999) 29
- Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
- Coherence loss processes*
- The convolution problem in COIN spectroscopy, J. Bok, A. Tortschanoff, F. Šanda, V. Čápek and H.F. Kauffmann 244 (1999) 89
- Nonlinear responses (incl. optical)*
- Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
- A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

- Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
- Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π -conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
- Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
- The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Anisfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
- Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
- Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
- Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
- Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
- Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatourians, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
- Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
- Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
- Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
- Analysis of the linear and non-linear optics of crystals of CHI_3 , S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
- Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
- Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
- Nonlinear optical spectra of C_{70} , F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285

- In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
- On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
- Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
- Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
- Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
- Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
- Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Boucher and C. Bourgogne 245 (1999) 365
- Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
- Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
- On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
- Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
- Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
- Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
- Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
- All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
- Surface-enhanced non-linear Raman scattering at the single-molecule level, K. Kneipp, H. Kneipp, I. Itzkan, R.R. Dasari and M.S. Feld 247 (1999) 155
- Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson 248 (1999) 181
- Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279

- Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321
- Multiphoton phenomena*
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
- Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517
- All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
- Total fragmentation of SbCl_3 by multiphoton dissociation in the UV, G. Haunert and E. Tiemann 246 (1999) 381
- Reactions (incl. dissociation)*
- A modified Bragg and Williams approximation of the two-step spin crossover, A.B. Koudriavtsev 241 (1999) 109
- Locating critical points on multi-dimensional surfaces by genetic algorithm: test cases including normal and perturbed argon clusters, P. Chaudhury and S.P. Bhattacharyya 241 (1999) 313
- Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S , K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1
- Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91
- The thiyl peroxy radical: formation and UV spectrum. A multiconfigurational ab initio study, S. Lacombe, M. Loudet, H. Cardy and A. Dargelos 244 (1999) 175
- Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
- Dispersive charge separation and conformational cooling of $\text{P}^+\text{H}_\text{A}^-$ in reaction centers of *Rb. sphaeroides* R26: a spontaneous emission study, A. Ogrodnik, G. Hartwich, H. Lossau and M.E. Michel-Beyerle 244 (1999) 461
- Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
- A combined experimental and theoretical study of the unimolecular elimination kinetics of 2-alkoxypropionic acids in the gas phase, A. Rotinov, G. Chuchani, J. Andrés, L.R. Domingo and V.S. Safont 246 (1999) 1
- Theoretical investigation of the reactions of $\text{O}(^3\text{P})$ with CH_3F and CH_2F_2 , B. Wang, H. Hou and Y. Gu 247 (1999) 201
- Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T. Johnson and I. Panas 248 (1999) 161
- DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $\text{O}(^1\text{D})$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161
- Structure, bonding and formation of molecular germanium oxides, hydroxides and oxyhydroxides, J.R.T. Johnson and I. Panas 249 (1999) 273
- Theoretical investigation on the impact sensitivity of tetrazole derivatives and their metal salts, C. ZhaoXu, X. Heming and Y. Shulin 250 (1999) 243
- Dynamic stability ratio of a colloidal dispersion, Y.-C. Kuo and J.-P. Hsu 250 (1999) 285
- The effect of a cluster on a chemical reaction: a quasiclassical trajectory study, S. Adhikari and G.D. Billing 250 (1999) 295

-isolated molecules

- Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
- Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H_3^+ , P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
- DFT calculation and matrix isolation FTIR studies on the formation of CF_3OBr from $O(^1D)$ and CF_3Br in solid argon, L. Zhang, X. Wang, M. Chen and Q.-z. Qin 249 (1999) 161
- The ultraviolet photodissociation dynamics of IBr studied using state-selective translational spectroscopy, W.S. McGivern, R. Li, P. Zou, T. Nguyen and S.W. North 249 (1999) 237
- A photoabsorption and mass spectrometry study of pyrrole, E.E. Rennie, C.A.F. Johnson, J.E. Parker, R. Ferguson, D.M.P. Holland and D.A. Shaw 250 (1999) 217

-collisional

- Ab initio calculations for $(BrO)_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
- A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(\nu' = 0, j') + D(\theta_{rel} < 80^\circ)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
- Regge pole representation of the limiting behavior of optically forbidden transitions in atoms and molecules, P.A. Ozimba and A.Z. Msezane 246 (1999) 87
- Collisional deactivation of CF_3I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm 248 (1999) 195
- State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin 248 (1999) 221

-condensed phase

- Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
- A scaling procedure in a many-particle derivation of the non-Markovian binary kinetic equations of the reaction $A + B \rightarrow B$ in liquid solutions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 244 (1999) 361
- Vibrational study of intramolecular hydrogen bonding in *o*-hydroxybenzoyl compounds, J. Palomar, J.L.G. De Paz and J. Catalán 246 (1999) 167
- Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
- Molecular dynamics study of phase transition and nucleation in supercooled clusters of potassium iodide, X.-l. Zhu, X.-z. You, D.-r. Zhu and Z.-h. Zhou 250 (1999) 303

Tunneling

- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
- Methyl group dynamics in paracetamol and acetanilide: probing the static properties of intermolecular hydrogen bonds formed by peptide groups, M.R. Johnson, M. Prager, H. Grimm, M.A. Neumann, G.J. Kearley and C.C. Wilson 244 (1999) 49
- Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111

- Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
- Tunneling splittings in vibrational spectra of non-rigid molecules. VI. Asymmetric double-well potentials, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 299
- Theoretical investigation of the reactions of $O(^3P)$ with CH_3F and CH_2F_2 , B. Wang, H. Hou and Y. Gu 247 (1999) 201
- Carrier range on finite, isolated molecular wires in a monomer crystalline matrix. Example: polydiacetylene, 4BCMU, S. Spagnoli, K.J. Donovan, K. Scott, M. Somerton and E.G. Wilson 250 (1999) 71
- Electron transfer*
- Stochastic effects on nonadiabatic transitions, P.A. Frantsuzov, S.F. Fischer and A.A. Zharikov 241 (1999) 95
- Time-resolved spectroscopy of DMABN and its cage derivatives 6-cyanobenzquinuclidine (CBQ) and benzquinuclidine (BQ), T. Okada, M. Uesugi, G. Köhler, K. Rechthaler, K. Rotkiewicz, W. Rettig and G. Grabner 241 (1999) 327
- Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
- Dual fluorescence of 2-(4'-*N,N*-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- Electron transfer in the nonadiabatic regime: Crossover from quantum-mechanical to classical behaviour, G. Lang, E. Paladino and U. Weiss 244 (1999) 111
- Excited charge transfer states in donor–acceptor indole derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz and J. Nowacki 244 (1999) 251
- Many-particle treatment of nonuniform reacting systems $A + B \rightarrow C$ and $A + B \rightarrow C + D$ in liquid solutions, O.A. Igoshin, A.A. Kipriyanov and A.B. Doktorov 244 (1999) 371
- Theory of non-thermal electron transfer, A.I. Ivanov and V.V. Potovoi 247 (1999) 245
- Carrier range on conjugated polymers as molecular wires. Example: polydiacetylene, 4BCMU, K.J. Donovan and S. Spagnoli 247 (1999) 293
- Electron transfer in poly(*p*-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He 248 (1999) 137
- Radiative and nonradiative electron transfer in donor–acceptor phenoxazine and phenothiazine derivatives, P. Borowicz, J. Herbich, A. Kapturkiewicz, M. Opallo and J. Nowacki 249 (1999) 49
- Photoinduced electron transfer between dimethylaniline and oxazine 1 in micelles, S.K. Pal, D. Mandal, D. Sukul and K. Bhattacharyya 249 (1999) 63
- Local description of the through phenyl transfer of a negative charge within resonance theory: topological effects in xylylene radical anions, P. Karafiloglou and J.-P. Launay 250 (1999) 1
- Molecular resistivities in organic polyenic wires. I. A one-dimensional photoconduction charge transfer model, C. González and R.G.E. Morales 250 (1999) 279
- Estimation of electron transfer rate constants by static (optical and electrochemical) measurements, M. López-López, P. Pérez-Tejeda, P. López-Cornejo and F. Sánchez 250 (1999) 321

Proton and hydrogen atom transfer

- How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
- Inelastic neutron scattering study of the proton dynamics in HNO₃ graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- Theoretical study of interstellar hydroxylamine chemistry: protonation and proton transfer mediated by H₃⁺, P. Boulet, F. Gilardoni, J. Weber, H. Chermette and Y. Ellinger 244 (1999) 163
- Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
- Structure and dynamics of the symmetric hydrogen bond in potassium hydrogen maleate: a neutron scattering study, F. Fillaux, N. Leygue, J. Tomkinson, A. Cousson and W. Paulus 244 (1999) 387
- A method to obtain meV-collision-energy resolution in scattering studies: application to the $H + D_2 \rightarrow HD(\nu' = 0, j') + D(\theta_{rel} < 80^\circ)$ reaction at $E_{rel} = 1.275 \pm 0.011$ eV, S. Kennedy, K. Dharmesena, S. Moser, M. Auzinsh and N.E. Shafer-Ray 244 (1999) 449
- Effects of chemical substitution upon excited state proton transfer. Fluoroderivatives of salicylaldehyde, M. Forés and S. Scheiner 246 (1999) 65
- A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
- Structure and vibrational study of a new material Rb_{0.78}(NH₄)_{0.22}H(SO₄)_{0.9}(SeO₄)_{0.1}, S. Bouattour, T. Mhiri and J. Jaud 248 (1999) 117
- Protonation kinetics of GFP and FITC investigated by FCS — aspects of the use of fluorescent indicators for measuring pH, J. Widengren, B. Terry and R. Rigler 249 (1999) 259
- Multistep photoinduced proton transfer in crystalline 2-(2',4'-dinitrobenzyl)pyridine, O. Ziane, R. Casalegno and A. Corval 250 (1999) 199

Positron annihilation

- Effect of water-soluble electron scavengers on positronium formation in AOT/water/isooctane microemulsions, V.S. Subrahmanyam, M.F. Ferreira Marques and G. Duplâtre 247 (1999) 333

Ionization (incl. Rydberg states)

- Subthreshold photoionization spectra of CH₃I perturbed by SF₆, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
- The electronic states of thiophene studied by optical (VUV) absorption, near-threshold electron energy-loss (EEL) spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker and M.F. Guest 241 (1999) 275
- The H₃O Rydberg radical, M. Luo and M. Jungen 241 (1999) 297
- Dissociative ionization accompanying emission by electron impact on N₂O using fragment ion-photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

- Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319
- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- Calculation of the conformational dependence of valence and Rydberg states in *n*-tetrasilane, R. Crespo, H. Teramae, D. Antic and J. Michl 244 (1999) 203
- Dynamics of ionization processes of methanol dimer: a direct ab initio dynamics study, H. Tachikawa 244 (1999) 263
- Theoretical description of the NEXAFS Cl 1s and 2p spectra of ClF and ClF_3 , G. Fronzoni, M. Stener and P. Decleva 246 (1999) 127
- Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
- A theoretical study on the ionic states of difluoroethylene with an analysis of the vibrational structure of the photoelectron spectra, K. Takeshita 250 (1999) 113
- Fragmentation of the valence electronic states of NF_3^+ studied by threshold photoelectron-photoion coincidence spectroscopy, D.P. Seecombe, G.K. Jarvis, B.O. Fisher and R.P. Tuckett 250 (1999) 335

Molecular motion (incl. diffusive)

- Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
- Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
- On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
- Translational diffusion of transition metal complexes, B.A. Kowert, A.M. Hughes, N.C. Dang, M.B. Martin, G.H. Cheung, H.D. Tran and J.P. Reed 247 (1999) 435
- Target problem in a lattice with randomly removed bonds, V.M. Syutkin 248 (1999) 213
- Photodynamic properties of green fluorescent proteins investigated by fluorescence correlation spectroscopy, J. Widengren, Ü. Mets and R. Rigler 250 (1999) 171

Isotopic effects

- Isotopically resolved spectra of tungsten oxides in solid neon, M. Lorenz and V.E. Bondybey 241 (1999) 127
- A DVR analysis of some vibrational modes in the elongated dihydrogen complex $[\text{Ru}(\eta^2\text{-H}_2)(\text{C}_5\text{H}_5)(\text{H}_2\text{PCH}_2\text{PH}_2)]^+$, R. Gelabert, M. Moreno, J.M. Lluch and A. Lledós 241 (1999) 155
- Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
- Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
- Tunneling splittings in vibrational spectra of non-rigid molecules. V. Reconstruction of the Hamiltonian from quantum chemical data, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff 244 (1999) 273
- Vibronic coupling and Jahn–Teller effects in negatively charged [30]annulene, T. Kato, K. Yoshizawa and T. Yamabe 247 (1999) 375

- Fragmentation of three isotopic toluene monocations in the 15–100 eV photon energy range, T.A. Field, F. Dulieu, J.-H. Fillion, J.-L. Chotin, S. Douin, J.-L. Lemaire and S. Leach 250 (1999) 81
- Fluctuations and noise*
- A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367
- Folding dynamics of single GCN4 peptides by fluorescence resonant energy transfer confocal microscopy, Y. Jia, D.S. Talaga, W.L. Lau, H.S.M. Lu, W.F. DeGrado and R.M. Hochstrasser 247 (1999) 69
- Ratiometric measurement and identification of single diffusing molecules, M. Dahan, A.A. Deniz, T. Ha, D.S. Chemla, P.G. Schultz and S. Weiss 247 (1999) 85
- Collective motion and excitations*
- Spin transition with a very large thermal hysteresis in a molecular crystal: an EPR study of $\text{Fe}(\text{PM-PEA})_2(\text{NCS})_2$, H. Daubric, C. Cantin, C. Thomas, J. Kliava, J.-F. Létard and O. Kahn 244 (1999) 75
- Surface chemical physics*
- Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
- A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS_2 , H.T. Liou and K.L. Huang 246 (1999) 391
- surface scattering*
- Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341
- Reaction dynamics of photochromic dithienylethene derivatives, J. Ern, A.T. Bens, H.-D. Martin, S. Mukamel, D. Schmid, S. Tretiak, E. Tsiper and C. Kryschi 246 (1999) 115
- A combined experimental and theoretical study on the photochromism of aromatic anils, S. Mitra and N. Tamai 246 (1999) 463
- Scattering of water from graphite: simulations and experiments, N. Marković, P.U. Andersson, M.B. Någård and J.B.C. Pettersson 247 (1999) 413
- adsorption*
- Adsorption of small polar molecules as a probe of the surface electric field created by water layers supported by $\text{MgO}(100)$: a theoretical study, C. Toubin, S. Picaud and C. Girardet 244 (1999) 227
- Compression of the dye monolayer at the air/water interface studied by second harmonic generation, V. Tsukanova, O. Slyadneva, T. Inoue, A. Harata and T. Ogawa 250 (1999) 207
- adsorbate structure*
- Influence of hollow site adsorption in a model for the catalytic $\text{CO} + \text{O}_2$ and $\text{CO} + \text{NO}$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

-surface reactions

- Fermi-resonances, potential energy function, and cluster-like spectra of the ground electronic state of CS₂, H.T. Liou and K.L. Huang 246 (1999) 391
- Influence of hollow site adsorption in a model for the catalytic CO + O₂ and CO + NO reaction, O. Kortlüke and W. von Niessen 247 (1999) 299

-catalysis

- Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
- Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1-5$) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433

Electronic process in gases

- Subthreshold photoionization spectra of CH₃I perturbed by SF₆, C.M. Evans, R. Reininger and G.L. Findley 241 (1999) 239
- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
- Superelastic collisions of electrons with the $c^3\Pi_u$ metastable state in hydrogen dc positive column, J. Amorim, J.L.S. Lino, J. Loureiro, M.A.P. Lima and F.J. da Paixão 246 (1999) 275
- Spectroscopic investigation of vibration–rotation bands in acetaldehyde: Focus on the $n\nu_3$ ($n = 1-5$) aldehyde CH stretch bands, M. Herman, F. Herregodts, R. Georges, M. Hepp, I. Hadj Bachir, M. Lecoutre and I. Kleiner 246 (1999) 433

Thermodynamic and transport properties

- Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273
- The ab-initio calculation of the gas phase ion mobility of Na⁺ in N₂, A.E. Thompson, R.G.A.R. MacLagan and P.W. Harland 248 (1999) 127

Structure of solids, liquids and glasses

- Structure and dynamics at the liquid surface of benzyl alcohol, J. Dietter and H. Morgner 241 (1999) 55
- Long range order and hydrogen bonding in liquid methanol: A Monte Carlo simulation, I.Yu. Shilov, B.M. Rode and V.A. Durov 241 (1999) 75
- Electro- and photoluminescence of the Tm³⁺ ion in Tm³⁺- and Li⁺-doped ZnO ceramics. Influence of the sintering temperature, J.C. Ronfard-Haret and J. Kossanyi 241 (1999) 339
- Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353
- Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
- Short- and intermediate-range structure in Al(III)-containing gels prepared from Al-nitrate in organic medium, R. Mezei, K. Sinkó, J. Rohonczy, O. Paris and P. Fratzl 246 (1999) 295

Critical behavior and phase transitions

- Pressure and temperature studies of dielectric permittivity in the homogeneous phase of nitrobenzene–dodecane binary mixture, P. Habdas, M. Paluch, A. Drozd-Rzoska, P. Malik and S.J. Rzoska 241 (1999) 351

- A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277
- A molecular model of *p*-terphenyl and its disorder–order transition, P. Bordat and R. Brown 246 (1999) 323
- Influence of hollow site adsorption in a model for the catalytic $\text{CO} + \text{O}_2$ and $\text{CO} + \text{NO}$ reaction, O. Kortlüke and W. von Niessen 247 (1999) 299
- Molecular self-assembly and -organization*
- Collision dynamics and surface wetting of nano-scale polymer particles on substrates, K. Fukui, B.G. Sumpter, K. Runge, C.-Y. Kung, M.D. Barnes and D.W. Noid 244 (1999) 339
- Effects of surfactants on the aggregation behaviour of thiocarbocyanine dyes, A.K. Chibisov, V.I. Prokhorenko and H. Görner 250 (1999) 47
- Biomolecular structure–function relationships*
- Steered molecular dynamics simulation of conformational changes of immunoglobulin domain I27 interpret atomic force microscopy observations, H. Lu and K. Schulten 247 (1999) 141



**BRINGING THE
WORLD'S LARGEST
SCIENTIFIC DATABASE
TO YOUR DESKTOP**

SCIENCE @ DIRECT®

ScienceDirect® provides electronic full text access to more than 1,000 scientific, technical and medical journals published by Elsevier Science and the leading STM publishers.

- Desktop access to more than 550,000 full text articles across 14 fields of science
- Intuitive search and navigation through a simple Web-based interface
- Direct links to full text through a broad collection of secondary databases – delivered via the Internet or your local Intranet
- Current and back issues of journals plus links to document delivery services

<http://www.sciencedirect.com>



NEW YORK
+1 212 633 3809
usinfo@sciencedirect.com

AMSTERDAM
+31 20 485 3767
nlinfo@sciencedirect.com

SINGAPORE
+65 434 3716
sginfo@sciencedirect.com

TOKYO
+81 3 5561 5035
jpinfo@sciencedirect.com

RIO DE JANEIRO
+55 21 509 5340
brinfo@sciencedirect.com

Elsevier Science on the Internet

**Your comprehensive and
easy-to-use guide to the
world-wide range of
Elsevier Science
products and services.**

Visit Elsevier Science
on the Internet and access
a unique repository of
information covering the
entire scientific spectrum.
Our time-saving search
facilities will lead you
to our frequent updates
in seconds.

Main features include:

Alerting and awareness
facilities for new and forthcoming
publications.

Fast, time-saving search facilities.

Frequent updates.

<http://www.elsevier.com>

<http://www.elsevier.nl>

ELSEVIER

PERGAMON

NORTH-HOLLAND

EXCERPTA MEDICA

(continued from inside front cover)

Submission of papers: All papers should be submitted in *quadruplicate* to one of the editors.

Electronic manuscripts: Electronic manuscripts have the advantage that there is no need for the rekeying of text, thereby avoiding the possibility of introducing errors and resulting in reliable and fast delivery of proofs.

For the initial submission of manuscripts for consideration, hardcopies are sufficient. For the processing of *accepted papers*, electronic versions are preferred. After *final acceptance*, your disk plus one final and exactly matching printed version should be submitted together. Double density (DD) or high density (HD) diskettes (3.5 or 5.25 inch) are acceptable. It is important that the file saved is in the native format of the wordprocessor program used. Label the disk with the name of the computer and wordprocessing package used, your name, and the name of the file on the disk.

Important: please adhere to instructions to authors, to be found on the last pages of each volume. The instructions can also be found on the World Wide Web: access under <http://www.elsevier.nl> or <http://www.elsevier.com>.

Proofs and reprints: Authors will receive **proofs**, which they are requested to correct and return as soon as possible. No new material may be inserted in the text at the time of proofreading. A total of **50 reprints** of each paper will be supplied free of charge to the author(s). Additional reprints can be ordered at prices shown on the reprint order form.

All questions arising after acceptance of the manuscript, especially those relating to proofs, should be directed to *Chemical Physics*, Elsevier Science B.V., P.O. Box 2759, 1000 CT Amsterdam, The Netherlands. Tel. (+31-20)4852-800, Fax (+31-20)4852-775, E-mail: e.hovens@elsevier.nl

Authors in Japan please note: Upon request, Elsevier Science K.K. will provide authors with a list of people who can check and improve the English of their paper (*before submission*). Please contact our Tokyo office: Elsevier Science K.K., 9-15 Higashi-Azabu, 1-chome Minato-ku, Tokyo 106-0044, Tel. (03)-5561-5032; Fax (03)-5561-5045.

Chemical Physics has no page charges.

Publication Information: *Chemical Physics* (ISSN 0301-0104) For 1999, volumes 240–251 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (<http://www.elsevier.nl/locate/chemphys>). Further information is available on this journal and other Elsevier Science products through Elsevier's website: <http://www.elsevier.nl>. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims, and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633-3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633-3680; e-mail: usinfo-f@elsevier.com

Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl

Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp

Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg

Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561-5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk.

US mailing notice: *Chemical Physics* (ISSN 0301-0104) is published semi-monthly by Elsevier Science B.V. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US\$5125.00 (valid in North, Central and South America), including air speed delivery. Application to mail at periodical postage rate is paid at Jamaica, NY 11431.

USA POSTMASTER: Send address changes to *Chemical Physics*, Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.

AIRFREIGHT AND MAILING in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.



The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS
direct

REGISTER TODAY


www.elsevier.com/locate/contentsdirect

Sign-up is simple!

- 1** ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
- 2** FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
- 3** THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST



0301-0104(199912)250:3002;1-C



<http://ChemWeb.com>

The World Wide Club for the Chemical Community